



# PRODUCT CATALOGUE

HIGH PERFORMANCE SEALANTS, ADHESIVES & PU FOAMS

---

2024



## About SOUDAL

Soudal is Europe's largest independent manufacturer of sealants, adhesives and PU foams for both professionals and private users. With almost 4,000 employees, a turnover of 1.3 billion euros (\$2.15 billion AUD) and 25 production sites on five continents, this 100% Belgian family business, founded by Vic Swerts, has grown into a global player and expert in chemical construction and industry specialities. Extensive investments in R&D, a long-standing vision of innovation and adaptations to local market needs laid the foundation for its excellent performance. Soudal is accredited as Best Managed Company and Top Employer.



## Our VALUES

## (YOU) BUILD THE FUTURE

### THREE CORE VALUES

#### Uncomplicated sincerity



Above all, we value integrity and respect. We always try to be honest with each other and all our stakeholders. We keep this uncomplicated by having short lines of communication, keeping procedures simple, and working in a down-to-earth way.

At Soudal, we keep trying until we win. We always want to learn and try new things to keep growing.



#### Ambitious bravery

#### Shared loyalty




We are 100% a family business, and everyone within Soudal belongs to that family. Together, we want to continue to strive for loyalty and a positive environment.

*Employees are our most important assets. Daring entrepreneurship involves the challenging process of bringing together a unique team of people. Employees, partners and customers are not hollow concepts. They are about people, about individuals who enable the entrepreneur to realise an ambition. So you have to surround yourself with good, strong people who know it and can do it better than you.*

**Vic Swerts, Chairman-Founder**

## SOUDAL Worldwide



### Mission

Soudal aims to become the world's largest independent manufacturer and service-oriented supplier of silicones, adhesives and PU foams for professional construction, retail and industry. Soudal operates in a safe, sustainable, high-quality and profitable manner to perpetuate the continuity of the business and values the satisfaction of its employees as well as the respect of the local community.

### Vision


Soudal continues to find solutions to current and upcoming global challenges. Innovation and progress are the keywords of preference. We want to be a pioneer for the professional and retail construction sector. We are going full steam ahead for a better future.

In its operation, Soudal aims to become and remain a leader by manufacturing and selling quality products in selected market segments, anywhere in the world. We are constantly improving these products. Soudal aims to increase its rate of innovation and develop new areas of activity.






## Our PRODUCTS



### Adhesives

In addition to the established values within the adhesive range, such as wood and parquet adhesives, water-based assembly adhesives, decorative adhesives and PVC adhesives, Soudal continues to work on further growing its successful polymer-based adhesive sealants, such as Fix All adhesives, for example.

In addition, Soudal is very strongly committed to the further expansion of its industrial adhesive range, using various 1- or 2-component-based technologies. Trends in the market, such as gluing glass into the window frame, do not go unnoticed: a special 2K silicone sealant was developed for this emerging application with industry partners.



### Foams

For decades, Soudal has been a leading manufacturer of foams and foam solutions for many applications including construction: insulating, filling, mounting, gluing. The range has become very diverse in terms of technology, packaging and hardware. In addition to classic 1-component foams with a variety of properties,

Soudal also offers complete 2K systems for special insulation applications, such as filling window profiles. Elastic foams occupy a special place in the range, as they provide durable insulation and avoid thermal bridges over long periods of time in many building applications.

Genius Gun represented a revolution in lowering the threshold for the DIY user who can now get to work with more control and precision, and use the same pack again smoothly for the next job.

With the isocyanate-free SMX® foam, Soudal then set new standards in foam technology, but in the meantime water-based foams, for example, are also available, marking another important step in a sustainable product range.



### Chemical anchor

Soudal developed the chemical anchor to enable heavy loads in both hollow and full construction materials to be borne. Stair railings, awnings or boilers are examples of loads that can be securely fastened thanks to our ETA-certified (European Technical Assessment) chemical anchor.





## Coatings

Soudal offers coatings for all kinds of applications. Some examples include liquid membranes for air and vapour sealing surfaces, floor and wall connections, waterproof coatings for roof applications and repairs.

A great example is the Soudatight range, a set of products that contribute to achieving the target energy performance of buildings (NZEB). Soudatight is extremely easy to apply (brush or spray) and greatly improves the airtightness of the building envelope. A passive house certificate and many other test reports provide the various stakeholders in the construction process with the necessary assurance.



## Tapes and membranes

For various applications in construction and industry, Soudal offers different types of mounting tapes, airtight sealing tapes and membranes. Within the context of energy performance of buildings, airtight sealing tapes were developed for sealing seams and gaps in under-roof and façade films. In addition, window films were given a permanent place in the range.

As well as the standard version of membranes based on EPDM and non-woven fleece, focus is now also on the very fast-growing self-adhesive variants of these window films. These provide an air and impact rain-tight seal between external joinery and structural shell, a very important building node in any construction.



## Sealants

Soudal's sealants are available for both indoor and outdoor applications. The range includes silicone sealants in various colours, including for sanitary and glazing applications, paintable acrylic sealants, joint sealants for fire-resistant and fire-retardant applications, and polymer and polyurethane sealants for various façade and floor applications.

Here, too, research and development led to innovative solutions. Our latest innovation is HMX® technology, which combines the best of both worlds: permanent elasticity and superior adhesion of a silicone, combined with the ability to paint over it and optimal processing ability of an acrylate. Moreover, HMX® products have excellent water and weather resistance. HMX® technology has since received several sustainability and quality labels.

Soudal also supplies sealants for industrial solutions, such as sealing products for double-glazing production.

# Table of Contents

## SOUDAL Overview

### About SOUDAL

Values .....	2
Soudal Worldwide .....	3
Vision .....	3

### Our Products

Adhesives .....	4
Foams .....	4
Chemical anchor .....	4
Coatings .....	5
Tapes and membranes .....	5
Sealants .....	5

## SMX Sealant

### T-REX® Power

T-REX Crystal .....	8
T-REX Power Fast Grab Clear .....	9
T-REX Power Fast Grab .....	9
T-REX Flex .....	9
T-REX Floor & Wall Adhesive .....	10
T-REX Turbo .....	10
T-REX X-Treme .....	10

### Multibond Range

SMX25 Flex & Seal .....	12
SMX35 Seal & Stretch .....	12
SMX50 Seal & Stick .....	13

### Fix ALL®

Fix ALL Crystal .....	16
Fix ALL X-Treme Power Express .....	16
Fix ALL Floor & Wall .....	17
Fix ALL Flexi .....	17
Fix ALL High Tack .....	18
Fix ALL High Tack Invisible .....	18
Fix ALL Turbo .....	19

### Specialty Hybrid Polymer

Soudaseal® 2K .....	20
Pool Fix .....	20
Soudaseal® 260CC .....	20

## Polyurethane Sealants

Soudaflex 42FX .....	22
Soudaflex 45FC PRO .....	22
Soudaflex 20LM .....	22
Soudaflex® 33SL .....	23
Aquaswell .....	23
Soudaflex® 36SFL .....	23

## Silicones

All Purpose Silicone .....	24
Bathroom & Kitchen Silicone .....	25
Glass & Glazing Silicone .....	25
Roof & Gutter Silicone .....	25

### Silirub®

Silirub AQ .....	26
Silirub MA .....	26
Silirub WS+ .....	26
Silirub Cleanroom .....	27
Silirub PC .....	27

### Pureseal

Pureseal Roof & Gutter .....	29
Pureseal Kitchen & Bathroom AC .....	29
Pureseal Kitchen & Bathroom NC .....	30

## Gap Fillers

Fill & Paint Gap Filler .....	31
All Weatherflex Gap Filler .....	31
Wet on Wet Gap Filler .....	31
Universal Bog .....	32
Light Speed Filler .....	32
Acryl Paintable Sealant .....	33
Contractors 101 Gap Filler .....	33
Repair Express Plaster .....	34
Repair Express Cement .....	34

## Specialty Sealants

Timber & Parquet Sealant .....	35
Duct Sealant .....	36
Butyrub .....	36
Soudaduct HVAC .....	36
Soudafoam FR HY .....	37
Firecylt FR .....	37
Soudaseal FR .....	37
Silirub® HT-A .....	28
Firecement HT .....	28
Silirub® HT-N .....	28

## Expanding Foams

Flexible Insulation Expanding Foam .....	38
Gap Filling Expanding Foam .....	38
Gap Filling Expanding Foam - Straw .....	39
Soudafoam SMX .....	39
Gap Filling Expanding Foam - Gun Grade .....	39

## Adhesives

### Soudabond - Specialty Adhesives

Soudabond Easy .....	41
Soudabond Subfloor .....	42
Soudabond Drywall .....	42

## Tile Adhesives

Soudabond MT .....	43
--------------------	----

## Strong As Nails

Strong As Nails Super Grab .....	45
Strong As Nails Fix It .....	45

## Flooring Adhesives

SMX®-20 Plus Adhesive .....	46
SMX®-30 Plus Adhesive (2-in-1) .....	46

## LVT Adhesive

LVT Premium Adhesive .....	47
----------------------------	----

## Stud Adhesives

High Tack Stud Adhesive .....	48
-------------------------------	----

## Woodworking

Water Resistant PVA Wood Glue .....	49
Waterproof PU Adhesive .....	49

## Contact Adhesives

110 LQ Contact Adhesive .....	50
Contact Adhesive Gel .....	50
Contact Adhesive Liquid .....	50
Contact Adhesive Spray .....	51
Contact Adhesive Transparent .....	51
142 SP Contact Adhesive .....	52
145 SPT Contact Adhesive .....	52

## Specialty Adhesives

Epofix 82A .....	53
Purocol Express .....	53
SMX Ultra Repair Adhesive .....	53

## Superglue Adhesives

2C Adhesive Kits .....	54
Cyanofix 84A Liquid Superglue .....	54
Cyanofix Gel Superglue .....	54

## Mounting Tapes

FIX ALL® 100% Clear Mounting Tape .....	55
FIX ALL® Ultra Strong Mounting Tape .....	55

## Waterproofing

Soudagum Hydro .....	56
Soudagum LM .....	56

## Surface Preparations

### Tapes

Soudatape OC .....	57
Soudatape IC .....	57
Soudatape ST .....	57
Soudatape PD .....	57
Soudatight Geotextile .....	57

## Activators

Surface Activator .....	59
Activator Spray 601 .....	59

## Primers

Primer 100 .....	60
Soudaprim DP .....	60
Primer 150 .....	60

## Technical Aerosols

### Cleaners & Removers

Adhesive Remover .....	61
Sealant Remover .....	61
Brake Cleaner .....	62
Cleaner & Degreaser .....	62
Multi Cleaner .....	62

### Lubricants

Multi Spray .....	63
PTFE Spray .....	63
Silicone Spray .....	64
Vaseline Spray .....	64
White Grease .....	64

### Industrial

Contact Spray .....	65
Cutting Oil .....	65
Degrip All .....	66
Zinc Spray (Matt) .....	66
Zinc Spray (Shiny) .....	66

## Chemical Anchor

Soudafix VE400-SR .....	67
Soudafix CA1400 .....	67

## Accessories

### Swipex

Swipex Wipes .....	69
Swipex Hand Cleaner .....	69

### Applicator Guns

Cartridge Gun Skeleton .....	70
Cartridge Gun Heavy Duty .....	70
Heavy Duty Barrel Sausage Gun .....	70
410ml Chemical Anchor Gun .....	70
Red PU Foam Gun .....	71
Design PU Foam Gun .....	71
Pneumatic Applicator Sausage Gun .....	71
Pneumatic Applicator Cartridge Gun .....	71

### Cleaners & Removers

Gun & Foam Cleaner .....	72
Foam Remover .....	72
Silicone Remover .....	72

## Nozzles & Mixers

45° Nozzle Connector .....	73
Cartridge Nozzle .....	73
PU Foam Adaptor Nozzles .....	73
175 Mm Long Nozzle .....	73
Nozzles With Cap .....	73
Sausage Nozzle .....	73
Static Mixer Pro .....	73
Twisty Nozzles .....	73
Sausage Nozzle .....	73
Static Mixer .....	73

## Sealant Tools

Joint Finish .....	74
Multi Tool .....	74
Easy Roller .....	74
Cartridge Cutter .....	74
Silicone Spatula Kit .....	74
Soudaglatt .....	74

## Trowel, Storage & Backing Rods

Trowel .....	75
Heavy Duty Red Cases .....	75
Backer Rods .....	75
Heavy Duty Black Crates .....	75





## FIXES, BONDS AND SEALS EVERYTHING TO EVERYTHING#



### T-REX Crystal



#### DESCRIPTION

T-Rex® Crystal is the most versatile transparent adhesive and sealant on the market. Due to its high translucency it can be used for invisible sealing and bonding. T-Rex® Crystal is mould resistant for sanitary areas and is certified food safe for food contact. Once cured it forms a strong and elastic waterproof seal. WaterMark Certified, suitable for contact with drinking water.

#### APPLICATIONS

Invisible sealing and bonding. Transparent and elastic bonding in construction and building applications. Suitable for sealing bathrooms and kitchen where mould is likely to grow. Flexible to 750%.

- Paintable immediately
- Solvent free
- Mould resistant
- Interior & exterior
- Isocyanate free

#### Options

- 132603 - 125ml Tube: Crystal
- 121969 - 290ml Cartridge: Crystal



## T-REX Power Fast Grab



### DESCRIPTION

T-Rex® Power is a versatile adhesive & sealant with 1 second immediate grab onto all common substrates. It has incredible high end strength of 320 kg per 10 cm<sup>2</sup> and due to its Fast Grab, it can be used for applications where immediate grab is required. Once cured it forms a strong and elastic waterproof seal. WaterMark Certified, suitable for contact with drinking water.

### APPLICATIONS

Sealing and bonding applications for heavy materials. Sealing of floor and wall joints. Sealing of joints around bathrooms and kitchen. Installation of mirrors & signs onto vertical surfaces without slipping.

- High green strength
- UV resistant
- Bonds to wet surface
- Internal & external
- Quick end-strength buildup
- Isocyanate and solvent- free

#### Options

121970 - 290ml Cartridge: Steel Grey	147559 - 600ml Foil Pack: Steel Grey
121968 - 290ml Cartridge: Bright White	127507 - 600ml Foil Pack: Bright White
124435 - 290ml Cartridge: Jet Black	
128462 - 290ml Cartridge: Quick Silver	
128463 - 290ml Cartridge: Beach Sand	

## T-REX Power Fast Grab Clear



### DESCRIPTION

T-Rex® Power Fast Grab Clear is an adhesive with 1 second immediate grab onto all common substrates. It has incredible high end strength of 320 kg per 10 cm<sup>2</sup> and due to its Fast Grab, it can be used for applications where immediate grab is required.

### APPLICATIONS

High green strength / quick build up of end strength. Bonding applications for heavy materials. Sealing of floor and wall joints. Sealing of joints around bathrooms and kitchen. Installation of mirrors & signs onto vertical surfaces without slipping.

- Clear colour
- Solvent free
- UV resistant
- High shear strength
- Bonds to wet surface
- Flexible

#### Options

134912 - 290ml Cartridge: Clear
---------------------------------



## T-REX Flex



### DESCRIPTION

T-Rex® Flex is a highly elastic sealant and adhesive for a wide range of bonding, sealing, and filling applications. Due to its high flexibility of 750%, it will absorb the movement of the materials onto which it is applied and is mould resistant for sanitary areas. Once cured it forms a strong and elastic waterproof seal.

### APPLICATIONS

Sealing and bonding of natural stones like marbles, granite, etc. Sanitary sealing and bonding in kitchen, bathroom, showers. Sealing of floor joints and walls. Strong elastic bonding in vibrating constructions.

- Flexible to 750%
- Paintable immediately
- Solvent free
- Mould resistant
- Interior & exterior
- Isocyanate free

#### Options

132602 - 125ml Tube: Bright White
137369 - 290ml Cartridge: Bright White
137415 - 290ml Cartridge: Steel Grey



## T-REX Floor & Wall Adhesive



### DESCRIPTION

A ready-to-use, high quality construction adhesive for full surface bonding based on SMX Polymer technology which is chemically neutral and fully elastic after cure. Contains no solvent and suitable for primerless adhesion to most construction materials.

### APPLICATIONS

Perfect for difficult installation for wet surfaces, tile on tile, natural stone, stainless steel and floor coverings. Bonding of all types of building materials onto all porous and non-porous surfaces. Bonding of sheet materials on wall and floor- tiles, stainless steel panel, splashbacks, wooden panels, natural stones cladding, etc.

- High bond strength
- All materials\*
- Easy to trowel
- Internal & external
- Permanently flexible

#### Options

134899 - 4kg Bucket: White

## T-REX Turbo



### DESCRIPTION

T-Rex® Turbo is an adhesive-sealant with very fast strength build-up, ideal for applications where super-fast bonding is required. Develops a strong bond on porous surfaces in thin layer after only 20 minutes, it will be fully set after 3 hours. Once cured it forms a strong and elastic waterproof seal.

### APPLICATIONS

Bonding applications of porous and non-porous surfaces. Strong elastic bonding of panels, profiles, etc. on most common substrates. Bonding in building, construction and metal industry.

- Hand tight in 20 mins
- Fully sets in 3 hours
- Permanently elastic
- Internal & external
- UV resistant
- Isocyanate free

#### Options

132601 - 125ml Tube: White

128371 - 290ml Cartridge: White

## T-REX X-Treme



### DESCRIPTION

T-Rex® X-Treme is a high strength adhesive with extreme tack for immediate bonding of extremely heavy materials without additional support. Due to its extreme tack, it is capable of carrying heavy loads up to 400 kg/m<sup>2</sup>. Perfect for installing heavy items without slipping.

### APPLICATIONS

For all bonding applications where high initial grab is required. Elastic bonding and installation of signage, panels, profiles for vertical and horizontal without support. Heavy duty bonding in all weather conditions and on most surfaces and even damp or wet. Elastic structural bonding in automotive applications: buses, trains, trucks, caravans, etc.

- Paintable
- High bond strength
- Permanently flexible
- Internal & external
- 400 kg/m<sup>2</sup> initial tack
- Isocyanate free

#### Options

134841 - 290ml Cartridge: White

134842 - 290ml Cartridge: Black



# MULTIBOND

New Generation Sealants



**IMMEDIATELY PAINTABLE**



**HIGH PERFORMANCE**



**WATER POTABLE\***



**VERY GOOD ADHESION TO WIDEST RANGE OF MATERIALS**

WOOD | METAL | CONCRETE | ETC

**SUITABLE FOR DAMP SURFACES**



**SUSTAINABLE**

NO ISOCYANATES | NO SOLVENTS | LOW VOC | NON-HAZARDOUS



**SUITABLE FOR INTERIOR & EXTERIOR USE**



TECHNICAL DATA	MULTIBOND SMX25 - FLEX & SEAL	MULTIBOND SMX35 - SEAL & STRETCH	MULTIBOND SMX50 - SEAL & STICK
Skin formation	15 min	10 min	10 min
Curing speed	3 mm/24hr	2 - 3 mm/24hr	2 - 3 mm/24hr
Hardness (Shore A)	25 ± 5	40 ± 5	40 ± 5
Max. tension	0.95 N/mm <sup>2</sup>	1.50 N/mm <sup>2</sup>	1.50 N/mm <sup>2</sup>
Elasticity modulus 100%	0.50 N/mm <sup>2</sup>	0.80 N/mm <sup>2</sup>	0.80 N/mm <sup>2</sup>
Elongation at break	>500 %	400 %	400 %
Maximum allowed distortion	± 25 %	± 20 %	± 20 %
Packaging	290mL, 600mL	600mL	290mL, 600mL
Colours	8	3	3

## SMX25 Flex & Seal

### DESCRIPTION

High quality, low modulus, one component, permanently highly flexible joint sealant with higher viscosity. Based on SMX® Polymer, it has a Shore A hardness of 25 and can accommodate movement of  $\pm 25\%$ . Can be sanded and painted with most type of paint. Cures to form a strong, flexible, waterproof seal and bonds to the widest range of substrates.

### APPLICATIONS

Ideal for a wide range of sealing applications including - expansion joints, masonry & precast concrete joints, can be used for damp surfaces such as bathroom & kitchen area, for walls, window, door frames and perimeter joints, for sealing expansion joints, concrete panel joints, brickwork & block-work joints, etc.

- Highly elastoc
- Low modulus
- UV resistant
- Higher viscosity
- Internal & external
- Isocyanate free



#### Options

152769 - 290ml Cartridge: Black	130249 - 600ml Foil Pack: Dark Grey
152770 - 290ml Cartridge: Concrete Grey	130251 - 600ml Foil Pack: Off White
152771 - 290ml Cartridge: White	137193 - 600ml Foil Pack: Redwood
	130253 - 600ml Foil Pack: Sandstone
	130248 - 600ml Foil Pack: White
	130250 - 600ml Foil Pack: Beige
	130254 - 600ml Foil Pack: Black
	130252 - 600ml Foil Pack: Concrete Grey

## SMX35 Seal & Stretch

### DESCRIPTION

High quality, single component, permanently flexible joint sealant. Based on SMX® Polymer, it has a Shore A hardness of 40 and can accommodate movement of  $\pm 20\%$ . Can be sanded and painted with most types of paint. Once cured forms a strong, flexible, waterproof seal and bonds to the widest range of substrates

### APPLICATIONS

Ideal for a wide range of sealing applications including - expansion joints, joints under waterproofing membranes, masonry and precast concrete joints, for sanitary - bathroom and kitchen areas, for walls, window, door frames and perimeter joints, for water retaining structures, for lap joints in roofing, guttering and cladding

- Elastic
- Mould resistant
- UV resistant
- Paintable
- Internal & external
- Isocyanate free

#### Options

124619 - 600ml Foil Pack: Black
124618 - 600ml Foil Pack: White
124598 - 600ml Foil Pack: White





## SMX50 Seal & Stick

### DESCRIPTION

High quality, fast curing, single component flexible adhesive and sealant with high adhesive strength. Based on SMX® Polymer, it has a Shore A hardness of 40 and can accommodate movement of  $\pm 20\%$ . Can be sanded and painted with most types of paint. Once cured forms a strong, flexible, waterproof seal and bonds to the widest range of substrates

### APPLICATIONS

Ideal for a wide range of bonding and sealing applications in construction and industrial including - for trafficable expansion joints, for trafficable pavement floors and perimeter joints, joints under waterproofing membranes, for sanitary, bathroom and kitchen areas, for lap joints in roofing, guttering and cladding.

- Trafficable
- Fast curing
- Sealing & bonding
- Elastic
- Internal & external
- Isocyanate free

### Options

 128736 - 290ml Cartridge: Black	 124606 - 600ml Foil Pack: Black
 128737 - 290ml Cartridge: Concrete Grey	 124542 - 600ml Foil Pack: Concrete Grey
 128738 - 290ml Cartridge: White	 124617 - 600ml Foil Pack: White







ALL you need is...  
**Fix ALL®**



## ADHESIVES & SEALANTS

**CRYSTAL** : 100% Transparent • **HIGH TACK INVISIBLE** : Super strong clear adhesive • **TURBO** : Fixed in 20mins  
**X-TREME POWER** : Bonding heavy loads • **FLEXI** : Sealing and bonding • **HIGH TACK** : Super strong adhesive-sealant

**SOUDAL**

**BUILD THE FUTURE**



Crystal, Flexi, High Tack & Turbo are now available foil packs.

**ALL BONDING • ALL SEALING**  
**ALL MATERIALS • ALL SURFACES**



STRONG



FLEXIBLE



SURFACES



& EXTERIOR



FREE



RESISTANT

The Fix ALL® range of hybrid polymer sealants and adhesives from Soudal are the perfect answer to all interior and exterior bonding, filling and sealing jobs. Use on porous, non-porous, wet and humid surfaces, even under water!



The Fix All range can be applied on all\* common surfaces including:

- |               |                |              |
|---------------|----------------|--------------|
| • BRICKS      | • ROCKWOOL     | • CARDBOARD  |
| • GRANITE     | • ALUMINIUM    | • SLATE      |
| • CHIPBOARD   | • PORCELAIN    | • MARBLE     |
| • LAMINATE    | • POLYURETHANE | • MDF        |
| • ZINC        | • STONE        | • CERAMICS   |
| • CERAMICS    | • WOOD         | • MIRROR     |
| • POLYSTYRENE | • CORK         | • STEEL      |
| • CONCRETE    | • GLASS        | • PVC        |
| • PLASTER     | • LEAD         | • SYNTHETICS |

\* not suitable for PE, PP, or Teflon

Friendly to the environment and the user; no solvents, halogens, acids or isocyanates.



- Waterproof
- Odourless
- Paintable
- Quick & easy



## Fix ALL Crystal

### DESCRIPTION

SUPER CLEAR sealant, adhesive and filler. 100% crystal clear. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Food safe. Highly flexible.

### APPLICATIONS

For all bonding, sealing & filling applications where transparency of the final bond or seal is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Sanitary sealing and bonding - kitchens, bathrooms, showers, etc.

- 100% crystal clear
- Primerless adhesion
- Virtually odourless
- All weather use
- Highly flexible
- Mould resistant - XS1 fungicide
- Food safe
- Tested according to FDA regulations CFR 21 & 177.2600 (e)

#### Options

- ☐ 118779 - 290ml Cartridge: Crystal Clear
- ☐ 131080 - 125ml Tube: Crystal Clear



## Fix ALL X-Treme Power Express

### DESCRIPTION

EXTREME TACK high strength elastomeric adhesive with enhanced mechanical properties and speed of curing. The ULTIMATE in initial grab strength - 400kg/m<sup>2</sup>. The fast setting adhesive is hand tight after only 30 minutes. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces.

### APPLICATIONS

For all bonding applications where initial grab and final bond strength is extremely critical. Heavy duty bonding in all weather conditions, on most surfaces. Bonding of porous natural stone surfaces such as marble and limestone.

- Extreme tack
- Ultimate initial grab - 400kg/m<sup>2</sup>
- Very high final mechanical properties
- Fast build up of strength
- Primerless adhesion
- Virtually odourless
- All weather use

#### Options

- ☐ 154560 - 290ml Cartridge: White





## Fix ALL Flexi



### DESCRIPTION

MULTI USE sealant, adhesive and filler with high flexibility. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non-staining on porous natural stones. Contains fungicides - suitable for sanitary applications.

### APPLICATIONS

For all bonding, sealing & filling applications in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding & sealing of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding - kitchens, bathrooms and showers.

- Multi use
- Primerless adhesion
- Virtually odourless
- All weather use
- Highly flexible
- Mould resistant - XS1 fungicide
- Non staining - conforms to ISO 16938-1
- Conforms to ISO 11600 F 20 HM
- ISEGA - tested for use on foodstuffs related areas
- Food safe

#### Options

- 131082 - 125ml Tube: White
- 131482 - 290ml Cartridge: White
- 131481 - 290ml Cartridge: Grey



## Fix ALL Floor & Wall



### DESCRIPTION

TROWELLABLE full surface, elastomeric adhesive. No mixing required. High initial grab. Can be applied on wet and damp surfaces, internally or externally. No solvents or odours. Primerless adhesion on most construction materials. Non-staining on porous natural stones. Suitable for sanitary applications.

### APPLICATIONS

Elastomeric bonding of many types of sheet materials on walls and floors - tiles, stainless steel panel, splashbacks, wooden paneling, carpet tiles, natural stone cladding, PVCu hygienic cladding. No mixing or primer required. Can be used on damp and difficult substrates, horizontally or vertically. Indoor and outdoor use.

- Trowellable
- No mixing
- Primerless adhesion
- Virtually odourless
- All weather use
- Full surface adhesive
- Mould resistant

#### Options

- 120137 - 4kg Bucket: White



## Fix ALL High Tack



### DESCRIPTION




SUPER STRONG sealant, adhesive and filler with high initial tack. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Nonyellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Very high final mechanical properties.

### APPLICATIONS

For all bonding, sealing & filling applications where initial grab and final bond strength is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.

- Super strong
- High initial tack
- Very high final mechanical properties
- Mould resistant - XS1 fungicide
- Primerless adhesion
- Virtually odourless
- All weather use
- Conforms to ISO 11600 F 20 HM

#### Options

- |   |  |
|---|--|
|  101444 - 290ml Cartridge: White  |  122006 - 290ml Cartridge: Aluminium |
|  101459 - 290ml Cartridge: Black |  122629 - 290ml Cartridge: Beige    |
|  101454 - 290ml Cartridge: Grey  |  |



## Fix ALL High Tack Invisible

### DESCRIPTION

SUPER STRONG transparent adhesive with high initial tack. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Nonyellowing - UV resistant. Very high final mechanical properties.

### APPLICATIONS

For all bonding where a high initial grab and final bond strength is important. Heavy duty bonding in all weather conditions, on most surfaces. Paintable elastomeric bonding. Bonding of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.

- Super clear
- Super strong
- High initial tack
- Very high final mechanical properties
- Primerless adhesion
- Virtually odourless
- All weather use

#### Options

- |   |
|---|
|  131515 - 290ml Cartridge: Clear |
|---|



## Fix ALL Turbo



### DESCRIPTION

SUPER FAST elastomeric adhesive. Rapid strength build up after 20 minutes, reaching final bond strength after 3 hours. High initial tack. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials.

### APPLICATIONS

For all elastomeric bonding applications where adhesive build up speed is highly critical or important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Bonding of porous natural stone surfaces such as marble and limestone.

- Super fast
- Rapid strength build up after 20 minutes
- 3 hours - final bond strength
- Primerless adhesion
- Virtually odourless
- All weather use

### Options

- ☐ 122236 - 290ml Cartridge: White
- ☐ 131077 - 125ml Tube: White





## Pool Fix

### DESCRIPTION

SMX® hybrid polymer based, high strength flexible adhesive and sealant for the repair of mosaic tiles and other tiles in the surrounding area of swimming pools. Can also be used to repair small cracks and for the sealing of swimming pool elements. Bonds to most types of surfaces, even when slightly damp.

### APPLICATIONS

Specially developed for the repair and fixing of mosaic tiles and swimming pool tiles. Sealing and bonding of swimming pool elements such as skimmers, drains, valves, openings. Temporary repair of small leaks. Repair and strengthening of damaged metal and polyester surfaces. Not to be used for applications in permanent immersion.

- SMX® hybrid polymer
- Permanently flexible
- UV stable
- Virtually odourless
- Aqua transparent blue colour



#### Options

- 132196 - 290ml Cartridge: Crystal Clear

## Soudaseal® 2K



### DESCRIPTION

TWO COMPONENT super fast curing hybrid polymer adhesive and sealant. For use in elastical bonding applications where fast curing is required. Fast strength build-up. Fast curing. High performance mechanical properties. Permanently elastic after curing. Does not contain isocyanates, silicone and solvents. Cures without the presence of atmospheric moisture.

### APPLICATIONS

Bonding and sealing applications in industrial, automotive, marine, construction and building areas. Bonding between metal surfaces, coated surfaces and many plastics. Elastic bonding applications in car, coach, caravan and train industries where fast curing and strength build up is required. Full surface bonding of non porous (sheet) material and large areas which are not porous enough to let atmospheric moisture through.

- Two component hybrid polymer sealant & adhesive
- Super fast cure speed
- Cures without atmospheric moisture
- Solvent, silicone and isocyanate free
- Virtually odourless
- Static mixer also available

#### Options

- 119245 - 290ml Cartridge: Grey

## Soudaseal® 260CC



### DESCRIPTION

High quality, low modulus, one component, permanently flexible joint adhesive sealant.

### APPLICATIONS

Ideal for a wide range of elastic structural bonding applications where a tough and rigid bond is required.

- Excellent adhesion on nearly all surfaces, even if slightly moist.
- Very good mechanical characteristics.
- Long open time.
- High elasticity – movement accommodation up to  $\pm 20\%$
- Free of isocyanates, solvents, halogens and acids
- Suitable for powder coating ovens

#### Options

- 112611 - 600ml Foil Pack: White



# SOUDAFLEX

FOR SEALANTS YOU CAN RELY ON,  
RELY ON THE EXPERTS IN  
SEALANTS



**SOUDAL**

PROFESSIONAL GRADE POLYURETHANE  
SEALANTS FROM SOUDAL



## Soudaflex 45FC PRO

### DESCRIPTION

Soudaflex 45FC PRO is a high quality, neutral, elastic, 1-component construction joint and adhesive sealant based on polyurethane.

### APPLICATIONS

All sealing and bonding applications in the building industry. Connection joints between window- and doorframes and walls. Interior and exterior floor joints. Bonding of roof tiles. Expansion joints between many different construction materials. Structural bonding in vibrating constructions.

- Very easy to apply
- High modulus
- Excellent resistance to UV radiation
- Permanently elastic after curing
- Bubble-free curing
- Very good adhesion on many materials
- Can be painted with most types of paint systems
- Excellent resistance to many chemicals

#### Options

- 146020 - 600ml Foil Pack: Grey
- 146018 - 600ml Foil Pack: Black
- 146019 - 600ml Foil Pack: White

## Soudaflex 42FX



### DESCRIPTION

Soudaflex 42FX is a high quality, elastic, 1-component PU sealant and adhesive.

### APPLICATIONS

All sealing and bonding applications in the building industry. Sealing joints in concrete floors. Sealing between facade elements. Also suited for bonding applications

- Very good adhesion on many materials
- Permanently elastic
- Excellent weatherability
- Easy to apply

#### Options

- 147687 - 600ml Foil Pack: Concrete Grey
- 146956 - 600ml Foil Pack: White
- 146913 - 600ml Foil Pack: Black

## Soudaflex 20LM



### DESCRIPTION

Medium LOW modulus polyurethane based sealant. Very easy to apply. Stays elastic after curing. Very good adhesion on many materials. Excellent resistance to many chemicals. Developed especially for concrete applications. Paintable with some types of paint, after curing.

### APPLICATIONS

All usual building joints with high movement. Connection joints between window and door frames and walls. Expansion joints between many different construction materials. Joints with large movement.

- Low modulus polyurethan sealant
- Permanently flexible
- Excellent adhesion
- Conforms to ISO 11600 F 25 LM
- Colour range available

#### Options

- 126923 - 600ml Foil Pack: Concrete Grey
- 127291 - 600ml Foil Pack: Black
- 127290 - 600ml Foil Pack: White

## Soudaflex® 33SL



### DESCRIPTION

SELF-LEVELLING polyurethane flooring sealant. Very easy to apply. Stays elastic after curing. Very good adhesion on many materials. Excellent resistance to many chemicals. Developed especially for concrete flooring applications. No bubble formation within sealant as a result of high temperatures or humidity. Non-staining on natural stone and concrete. Resistant to many fuels and other chemicals.

### APPLICATIONS

Flooring expansion joints where high movement is expected. Self-levelling up to a maximum slope of 3%. Sealing flooring joints where exposure to fuel and oil is expected e.g. garages. Resistant to splash and spillage contact from hydraulic fluids, lubricants, oils, petrol and many chemicals. Conforms to DIN EN 14187-4, DIN EN 14187-5 and DIN EN 14187-6

- Self-levelling polyurethane flooring sealant
- Permanently flexible
- Non-staining on natural stone and concrete
- Resistant to lubricants, oils, petrol and chemicals

#### Options

130635 - 600ml Foil Pack: Concrete Grey

## Soudaflex® 36SFL



### DESCRIPTION

PREMIUM QUALITY polyurethane flooring sealant. Very easy to apply. Stays elastic after curing. Very good adhesion on many materials. Excellent resistance to many chemicals. Developed especially for concrete flooring applications. No bubble formation within sealant as a result of high temperatures or humidity. Non-staining on natural stone and concrete. Resistant to many fuels and other chemicals.

### APPLICATIONS

Flooring expansion joints where high movement is expected. Sealing flooring joints where exposure to fuel and oil is expected e.g. garages. Resistant to splash and spillage contact from hydraulic fluids, lubricants, oils, petrol and many chemicals. Conforms to DIN EN 14187-4, DIN EN 14187-5 and DIN EN 14187-6

- Polyurethane flooring sealant
- Permanently flexible
- Non-staining on natural stone and concrete
- Resistant to lubricants, oils, petrol and chemicals

#### Options

130725 - 600ml Foil Pack: Concrete Grey



## Aquaswell

### DESCRIPTION

POLYURETHANE pipe and cable sealant which swells up in contact with water to create a water and gas tight seal - up to 5 bar (DVGW VP-601). Very good adhesion on concrete, most metals and PVC. Very easy application in both horizontal and vertical applications. Swells up to 450% of its original volume when in contact with water. Stays elastic after curing. Returns to its original shape after swelling.

### APPLICATIONS

Water sealing pipe and cable penetrations. Water sealing concrete joints.

- POLYURETHANE pipe and cable sealant
- Water and gas tight up to 5 bar (DVGW VP-601)
- Swells up to 450% of its original volume in contact with water
- Stays elastic after curing
- Returns to its original shape after swelling



#### Options

124909 - 600ml Foil Pack: Champagne





## All Purpose Silicone



### DESCRIPTION

For all sealing, waterproofing and bonding applications where protection against mould and mildew is required. The ultimate all rounder silicone suitable to the broadest range of applications. Offers strong adhesion to ceramics, glass, aluminium (including powder coated & anodised), PVC, stainless steel, zinc & galvanised coated surfaces, timber, concrete, fibreglass, laminate, painted surfaces, etc. Suitable for contact with drinking water as tested to AS 4020.

### APPLICATIONS

Suitable for a wide range of applications including - Bathrooms & Kitchens for sealing baths, sinks, toilets, showers, tiles, plumbing fixtures, glass, tiles, etc. Roofs & Gutters for sealing of guttering, flashings, cladding, roofing, down pipes, ducting, lap joints, sheet metal, etc, available in matching Colorbond® metal. Windows & Glazing for sealing around windows, display cabinets, frames and architraves, etc. .

- Roof & gutter
- Mould resistant
- Kitchen & bathroom
- Food safe\*
- Glass & glazing
- Water potable

### Options

 121662 - 300ml Cartridge: Clear	 144928 - 300ml Cartridge: Misty Grey
 121661 - 300ml Cartridge: Brilliant White	 131649 - 300ml Cartridge: Cement Grey
 127785 - 300ml Cartridge: Titanium	 131648 - 300ml Cartridge: Medium Grey
 121671 - 300ml Cartridge: Alabaster	 121666 - 300ml Cartridge: Dark Grey
 121663 - 300ml Cartridge: Ivory	 121660 - 300ml Cartridge: Aluminium
 121664 - 300ml Cartridge: Beige	 121667 - 300ml Cartridge: Pewter
 121669 - 300ml Cartridge: Stone	 121668 - 300ml Cartridge: Charcoal
 127786 - 300ml Cartridge: Taupe	 121995 - 300ml Cartridge: Black
 121665 - 300ml Cartridge: Grey	 144558 - 300ml Cartridge: Moss Green





## Bathroom & Kitchen Silicone



### DESCRIPTION

For all sealing, waterproofing and bonding applications where protection against mould and mildew is required. Offers strong adhesion to glass, tile, ceramics, aluminium, metals (including powder-coated & anodised), painted surfaces, fibreglass, stainless steel. For best performance clean non-porous surfaces with Soudal Cleaner & Degreaser.

### APPLICATIONS

A quality, elastic neutral cure silicone suitable for a wide range of applications including sealing baths, sinks, toilets, showers, tiles, plumbing fixtures, glass, tiles, etc.

- Highly elastic +-25%
- Superior adhesion
- Mould resistant
- Internal & external
- Excellent UV resistant
- Neutral cure

#### Options

- 154228 - 300ml Cartridge: Grey
- 127784 - 300ml Cartridge: Translucent
- 127783 - 300ml Cartridge: White



## Glass & Glazing Silicone



### DESCRIPTION

For all sealing, waterproofing and bonding applications where long term protection and weatherproofing is required. Offers strong adhesion to glass, tile, aluminium, metals (including power-coated & anodised), brick, concrete, painted surfaces, fibreglass, stainless steel, zinc & galvanised coated surfaces, etc. For best performance clean non-porous surfaces with Soudal Cleaner & Degreaser.

### APPLICATIONS

A quality, flexible, neutral cure silicone suitable for a wide range of applications including sealing around glass, windows, display cabinets, frames and architraves, etc.

- Highly elastic +-25%
- Non slump
- Superior adhesion
- Internal & external
- Excellent UV resistant
- Neutral cure

#### Options

- 127781 - 300ml Cartridge: Matte Black
- 127782 - 300ml Cartridge: Translucent



## Roof & Gutter Silicone

### DESCRIPTION

For all sealing, waterproofing and bonding applications where protection against exterior conditions is required. Offers strong adhesion to aluminium (including powder-coated & anodised), PVC, roof tile, stainless steel, zinc & galvanised coated surfaces, etc. For best performance clean non-porous surfaces with Soudal Cleaner & Degreaser.

### APPLICATIONS

A quality, elastic neutral cure silicone suitable for a wide range of applications including sealing for roofing, guttering, flashings, cladding, down pipes, ducting, lap joints, sheet metal including Colorbond®, etc.

- Highly elastic +-25%
- Superior adhesion
- Excellent UV resistant
- Water potable
- Internal & external
- Neutral cure

#### Options

- 127778 - 300ml Cartridge: Grey
- 127779 - 300ml Cartridge: Translucent

## Silirub AQ



### DESCRIPTION

HIGH MODULUS acetoxy silicone sealant for elastomeric glass bonding, sealing and the construction of aquaria and terraria. Thick bodied and very easy application. Permanent colour, UV resistant. Stays elastic after curing. Very good adhesion on glass. Chemically inert after curing.

### APPLICATIONS

Construction and reparation of glass aquaria and terraria. Chemically inert after curing so all types of aquaria can be constructed without harm to fish. Bonding of glass to glass constructions such as display cases. Glass to glass sheet sealing such as office partitioning.

- High modulus acetoxy cure silicone
- Can be used to seal or bond
- Chemically inert after curing
- 100% silicone with no extension
- Primerless adhesion on most surfaces



## Silirub WS+



### DESCRIPTION

A high-performance neutral cure silicone that is highly elastic with joint movement allowance of  $\pm 50\%$ . Silirub WS+ has been developed for weather sealing of expansion joints in the glass and aluminium composite panel façade industries.

### APPLICATIONS

Ideal for weatherproof sealing of facade elements for glass curtain walls, for sealing aluminium composite panel joints, all usual building, connection, expansion and dilatation joints. Excellent for double glazing system and weatherproof sealing around structurally glazed window panels.

- Compatible with PVB-film
- UV-resistant
- Meets ASTM C920 elastic  $\pm 50\%$
- Permanently elastic after curing
- Very good adhesion on many materials
- Resistant against UV-radiation, rain, frost, wind, ozone and extreme temperatures

#### Options



102543 - 300ml Cartridge: Clear

#### Options



128894 - 600ml Foil Pack: Black



153239 - 600ml Foil Pack: Silver grey



## Silirub MA

### DESCRIPTION

NON-STAINING neutral cure sanitary silicone sealant for the sealing of marble and all other types of natural stone. Contains a powerful anti-fungicidal agent for optimum mould resistance. Will not stain joint surfaces, therefore especially suited for all applications on natural stone. Primerless adhesion on all common construction materials. Highly flexible. Resistant to UV, rain and many chemicals.

### APPLICATIONS

Sealing and bonding of marble and other natural stone. Sealing in bathrooms and kitchens and other areas prone to high humidity. Sealing of all types of sanitary ware. Perimeter sealing of window and door frames. Sealing of natural stone cladding facades. Sealing of expansion and movement joints in construction.

- Non-staining on porous stones and marble - ISO 16938-1
- Low modulus neutral cure
- Virtually odourless
- 100% silicone with no extension
- Conforms to ISO 11600 F&G 25LM
- Primerless adhesion on most surfaces
- XS1 Fungicide - conforms to ISO 846
- Food safe
- FDA CFR 21 & 177.2600 (e) & (f)

#### Options



104528 - 310ml Cartridge: Marble Grey



105100 - 310ml Cartridge: White



106252 - 310ml Cartridge: Black



123597 - 310ml Cartridge: Jasmine



## Silirub Cleanroom



### DESCRIPTION

Silirub Cleanroom is a high-quality neutral cure, elastic one component silicone sealant with permanent colour, UV-resistant and stays fully elastic after curing. Soudal Silirub Cleanroom Silicone has very good adhesion on many materials, almost no smell, slow skinning time – therefore ideally suited for long joint runs. Silirub Cleanroom has international certification.

### APPLICATIONS

Suitable for sealing cool room and refrigeration sandwich panels in hospitals, laboratories and other critical surroundings, sealing in environments where food is handled and stored (food containers and food industry, etc) and where a versatile sanitary sealant is required.

- Resistant to mould
- Resistant to UV
- Permanently flexible
- Very good adhesion to most materials

#### Options

- 112346 - 300ml Cartridge: White

## Silirub PC



### DESCRIPTION

Silirub PC is a neutral low modulus silicone sealant specially developed for sealing and waterproofing on polycarbonate.

### APPLICATIONS

Sealing between polycarbonate, treated wooden and metal profiles and glass. All usual building joints with high movement. Expansion joints between many different construction materials.

- Very easy to apply
- Colourfast and UV resistant
- Permanent elastic after curing
- Very good adhesion on many materials
- Low odour
- Slow skinning time

#### Options

- 123600 - 300ml Cartridge: Clear



## Silirub® HT-A



### DESCRIPTION

HIGH TEMPERATURE resistant acetoxy silicone sealant. Withstands high temperatures of up to 285°C. Highly flexible and weatherproof. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to UV, rain, snow, ozone and many chemicals. High movement capability.

### APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- Acetoxy cure silicone sealant
- High temperature resistant (up to 285°C)
- External and internal use
- Highly flexible and durable

#### Options

108265 - 300ml Cartridge: Black

## Silirub® HT-N



### DESCRIPTION

HIGH TEMPERATURE resistant neutral cure silicone sealant. Withstands high temperatures of up to 280°C. Highly flexible and weatherproof. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals.

### APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- Neutral cure silicone sealant
- High temperature resistant (up to 280°C)
- External and internal use
- Highly flexible and durable
- Virtually odourless

#### Options

108266 - 300ml Cartridge: Black



## Firecement HT

### DESCRIPTION

HIGH TEMPERATURE resistant fire cement. Withstands temperature of up to +1,500°C. Excellent adhesion to a wide range of building materials.

### APPLICATIONS

For the sealing of ovens, furnaces and chimney flues. Hard setting. Suitable for internal applications

- Ready for use
- Hard setting
- Free of asbestos
- 120 min fire rating
- No fragmentation or cracking after drying

#### Options

108264 - 310ml Cartridge: Black



## Pureseal Roof & Gutter

### DESCRIPTION

Pureseal Roof & Gutter Silicone is an ultra-premium pure silicone that contains no extenders. Neutral curing so non-corrosive and ideal for a wide range sealing in demanding applications. Pureseal Roof & Gutter Silicone has very high resistance to UV and is perfect for weather-proofing in harsh Australian conditions, remains permanently elastic and waterproof.

### APPLICATIONS

Durable sealing for wide range of applications including – sealing for roofing, gutters, flashing, skylights, cladding, roof tiles, downpipes, PVC, air conditioning ducting, lap joints, metals including Colorbond® steel, aluminium (powdercoated & anodised), zinc, galvanised, etc. Joints in sanitary rooms (on synthetic baths and tubs) and kitchens Sealing between metal components. Connection and expansion joint. Sealing lap joints in roofing materials. To seal horizontal and vertical joints in wall and roof connections

- Corrosion free Pure silicone, contains no extenders
- Very easy to apply
- Colourfast and UV resistant
- Permanent elastic after curing
- Very good adhesion on many materials
- Low modulus
- Corrosion free and low odour
- Highly durable



#### Options

-  132664 - 300ml Cartridge: Grey
-  132663 - 300ml Cartridge: Clear



## Pureseal Kitchen & Bathroom AC

### DESCRIPTION

Pureseal Kitchen & Bathroom AC is an ultra-premium pure silicone that contains no extenders. Pureseal Kitchen & Bathroom Silicone AC contains powerful fungicides for long lasting resistance to mould and mildew in demanding sanitary conditions, is very easy to apply and tool in joints, remains permanently elastic and waterproof.

### APPLICATIONS

Durable sealing of wide range of application including – sealing joints around bathtubs, vanities, shower screens, sinks and basins, toilets, fibreglass, tiles plumbing fixtures, vitreous enamel, glass, etc. Building and construction joints, especially sanitary and humid places. Top sealing in glazing

- Pure silicone, contains no extenders
- Long open time
- Excellent moisture and mould resistance
- Permanent elastic after curing
- Very good adhesion on many materials
- Colourfast and UV resistant
- Typical acetic smell



#### Options

-  132665 - 300ml Cartridge: White
-  132666 - 300ml Cartridge: Clear





## Pureseal Kitchen & Bathroom NC

### DESCRIPTION

Pureseal Kitchen & Bathroom NC is a non-corrosive, neutral cure, ultra-premium pure silicone that contains no extenders. Pureseal Kitchen & Bathroom Silicone NC contains powerful fungicides for long lasting resistance to mould and mildew in demanding sanitary conditions, is very easy to apply and tool in joints, remains permanently elastic and waterproof.

### APPLICATIONS

Durable sealing of wide range of application including – sealing joints around bathtubs, vanities, shower screens, sinks and basins, toilets, fibreglass, tiles plumbing fixtures, vitreous enamel, glass, etc. Joints in sanitary rooms (on synthetic baths and tubs) and kitchens

- Pure silicone, contains no extenders
- Long open time
- Excellent moisture and mould resistance contains ZnP (biocide with fungicidal action)
- Permanently elastic after curing
- Very good adhesion on many materials
- Colourfast and UV resistant
- Low modulus
- Corrosion free



### Options

-  132667 - 300ml Cartridge: Clear
-  132668 - 300ml Cartridge: White





## All Weatherflex Gap Filler

### DESCRIPTION

A highly flexible, exterior grade, paintable acrylic gap filler that cures to form an extremely durable seal which is waterproof once cured. Ideal for use as a gap filler for high stress applications and for external use due to superior flexibility and high weather resistance.

### APPLICATIONS

All Weather Flex has many uses including: sealing around window frames, window sills, skirting boards, cornices, tiles (except showers), staircases, architraves, trims, wall and floorboards and coving. Sealing gaps and cracks in plastered wall and ceilings. Excellent adhesion to multiple surfaces including wood, MDF, particle board, plywood, fibre cement sheet, plasterboard, concrete, masonry including brick and blockwork, cement render, polystyrene foam, tiles, ceramics, aluminium, weatherboard, etc.

- Paintable in 30 mins
- Superior flexibility  $\pm 12.5\%$
- Weather resistant
- High crack resistance
- Ideal for weatherboards

### Options

129181 - 300ml Cartridge: White

## Fill & Paint Gap Filler



### DESCRIPTION

A professional quality, paintable, acrylic gap filler that cures to form a durable, flexible seal for general purpose interior / exterior gap filling application. Fill & Paint has a smooth finish with low shrinkage and has good adhesion to most common building materials including wood, MDF, particle board, plywood, fibre cement sheet, plasterboard, concrete, masonry including brick and block work, cement render, polystyrene foam, tiles, ceramics, aluminum.

### APPLICATIONS

Fill & Paint has many uses including: sealing around skirting boards, cornices, tiles (except showers), window frames, staircases, architraves, trims, wall & floorboards and coving. Sealing gaps and cracks in plastered wall and ceilings.

- Paintable in 20 mins
- 10% flexibility
- Non slump
- Internal & external
- Water cleanup

### Options

122394 - 300ml Cartridge: White



## Wet on Wet Gap Filler



### DESCRIPTION

A one-component gap filler where immediate painting is required with no waiting time. Due to its unique composition, it minimises the risk for mud cracking or paint crazing, even with difficult highly-filled and covering paints. Immediately paintable with gloss, semi-gloss and low sheen paint. Flat and ceiling paints can be painted after only 10 minutes.

### APPLICATIONS

Wet On Wet has many usage including filling and sealing in walls, ceilings, around window frames, skirting boards, cornices, tiles (except showers), staircases, architraves, coving, window sills, plasterboard, trims, floorboard, etc.

- Paintable immediately
- Higher viscosity
- Internal & external
- Water clean up
- Minimizes cracking

### Options

135230 - 300ml Cartridge: White



## Light Speed Filler

### DESCRIPTION

Light Speed Filler is a high quality, rapid drying, lightweight filler which does not shrink and is used for the filling and sealing of pinholes, drill holes, gaps and cracks in walls and ceilings made from timber, plaster, drywall panels, concrete, brick and other porous substrates.

### APPLICATIONS

Suitable to use on filling holes and cracks in plaster, concrete, drywall panels. Filling and repair of gap and cracks, drill holes, screw holes in wall and ceilings. Shrink-free finishing of seams on decorative profiles.

- Ready mixed
- Light weight
- Does not shrink
- Easy to clean
- Rapid drying
- Light weight

#### Options

- ☐ 132673 - 250ml Tub: White
- ☐ 132672 - 900ml Tub: White



## Universal Bog

### DESCRIPTION

Universal Bog is a heavy duty, high quality two-part repair filler with excellent adhesion on a wide range of surfaces for internal and external use. Universal Bog will not shrink or rot and is fully waterproof and has good gap filling properties. Fast setting, can be sanded after 20mins and once cured it can be cut, trimmed, chiseled, painted, screwed, drilled and nailed.

### APPLICATIONS

Ideal to repair gaps, cracks, holes, dents or replacing damaged or missing sections of timber, architraves, cavities, concrete & masonry, window frames, metal, aluminum, most plastics (pre-test), fiberglass, building sheets, tiles, etc.

- Smooth and easy to apply
- None shrink, slump / sag
- Will not rot and remains waterproof
- Repairs gaps, cracks, holes and dents
- Wide range of application on a variety of surfaces
- Sandable

#### Options

- ☐ 132560 - 750g Tub: Ivory
- ☐ 132561 - 1.5kg Tub: Ivory
- ☐ 121174 - 50g Tube: Hardener





## Contractors 101 Gap Filler

### DESCRIPTION

A flexible and paintable acrylic gap filler, ideal for sealing gaps, cracks and joints with movement of  $\pm 10\%$ . Has a smooth finish and cleans up with water. Suitable for interior and exterior, though protect from moisture when used external. Over paintable after product skins approx. 60 mins.

### APPLICATIONS

Suitable for sealing around window frames, window sills, skirting boards, cornices, walls and floorboards for internal and external applications. Offers strong adhesion to most common building materials including wood, MDF, particle board, plywood, fibre cement sheet, plasterboard, concrete, masonry including brick and block work, cement render, tiles, ceramics, aluminium.

- Very easy to apply
- Colourfast and UV resistant
- Permanently elastic after curing
- Impervious to mould
- Very good adhesion on many materials
- Low modulus
- Neutral curing
- MEKO free



### Options

- 144611 - 280ml Cartridge: White

## Acryl Paintable Sealant

### DESCRIPTION

Acryl Paintable Sealant is a high quality, one-component, acrylic joint sealant for interior applications for faster paintability. Suitable for filling cracks in concrete and plasters. Joints on window sills, between plinths and walls, and masonry.

### APPLICATIONS

Acryl Paintable Sealant has many usage including filling and sealing cracks in concrete and plaster, connection joints, and joints on window sills, etc

- Very easy to apply
- Colourfast and waterproof after curing
- Paintable in 10 mins
- Very good adhesion on many porous surfaces and aluminium

### Options

- 124731 - 80ml Tube: White





## Repair Express Plaster

### DESCRIPTION

HIGH SPEED acrylic polymer based, lightweight repair plaster. For an easy and quick reparation or filling in walls & ceiling e.g. cracks, screw holes etc. Can be applied by trowel or gun. Sandable and over-paintable once dried. Non-shrinking.

### APPLICATIONS

For the filling and repair of cracks and small holes in walls and ceilings - plasterboard, concrete, stone, plasterwork, masonry and decorative plaster. For the filling of static joints and cracks in walls and ceilings.

- Acrylic polymer high speed repair plaster
- Smooth finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Paintable
- Very good adhesion on many porous materials

#### Options

- ☐ 122525 - 290ml Cartridge: White
- ☐ 152306 - 900ml Tub: White



## Repair Express Cement



### DESCRIPTION

HIGH SPEED acrylic polymer based, textured repair cement. For easy and quick reparation or filling of joints and cracks in concrete. Can be applied by trowel or gun. Sandable and over-paintable once dried. Can be used for internal and external applications.

### APPLICATIONS

For repairing holes and cracks in concrete and cement. For repairing joints in masonry. Repairing of damages in concrete stairs etc.

- Acrylic polymer high speed repair cement
- Very fast curing
- Excellent adhesion on many mineral surfaces
- Can be used internally and externally
- Textured finish
- Paintable

#### Options

- ☐ 125786 - 290ml Cartridge: Grey
- ☐ 152305 - 900ml Tub: Grey
- ☐ 128000 - 290ml Cartridge: Beige
- ☐ 152307 - 900ml Tub: Beige





## Timber & Parquet Sealant

### DESCRIPTION

A high-quality, plasto-elastic one-component sealant based on acrylic dispersion that cures to form an extremely durable seal. Once cured can be sanded along with the timber and can be coated or varnished to match the gloss level of the timber flooring. This ensures the sealant is almost unseen.

### APPLICATIONS

Filling of joints with movements up to 15%. Ideal for filling sealant for joints in timber or laminate floors, connection joints between parquet floors, skirting boards and walls; also suitable for cracks in wooden floors.

- Remains flexible
- Can be coated / varnished
- Ready to use
- Water resistant after curing
- Solvent free
- Water clean up



### Options

 125587 - 290ml Cartridge: Ash/Maple	 125591 - 290ml Cartridge: Beech
 125588 - 290ml Cartridge: Cherry	 127174 - 290ml Cartridge: Dark Grey
 127175 - 290ml Cartridge: Light Grey	 125590 - 290ml Cartridge: Light Oak
 125589 - 290ml Cartridge: Medium Oak	 125595 - 290ml Cartridge: Merbau
 125592 - 290ml Cartridge: Mocha	 132208 - 290ml Cartridge: Pearl White





## Butyrub

### DESCRIPTION

POLYBUTYLENE based, semi-setting elasto-plastic sealant. Very easy to apply. Forms an elastic and tight skin. Can be painted over after 24 hours. Very good adhesion on many building surfaces. UV and weather resistant. Good resistance against chemicals.

### APPLICATIONS

Sealing of low movement joints with limited movement up to 5%. Sealant for joints in masonry, door and window frames, windowsills. Mounting of single layer glass in wooden, concrete and steel frames (e.g. greenhouses). Sealant for joints in car-bodies, containers and caravans. Lap sealant for sheet metal roofing.

- Polybutylene sealant
- Semi-setting
- Paintable with most coatings
- Weatherproof
- Forms an elastic skin
- UV resistant
- Excellent resistant to many chemicals



#### Options



101478 - 300ml Cartridge: Black



102572 - 300ml Cartridge: White

## Duct Sealant



### DESCRIPTION

Duct Sealant is a tough and flexible sealant to prevent air leakage in low, medium and high velocity ducting systems.

### APPLICATIONS

All types of HVAC duct systems including sheet metal, duct board and flexible ducts. Sealing of seams, spigot and flange joints and metal fabrications. Joints with movements up to 15%.

- Remains flexible to 15%
- Paintable
- Very easy to apply
- Low odour
- Solvent free
- Fire reaction Class E

#### Options



135254 - 4kg Tub: Grey

## Soudaduct HVAC



### DESCRIPTION

Soudaduct HVAC is a high-quality, plastoelastic, solvent free HVAC ducting sealant for all types of metal ducts

### APPLICATIONS

Sealing of joints, seams and overlaps in HVAC systems. Joints with movements up to 12.5%.

- Very easy to apply
- Does not contain solvents
- Virtually odourless
- Colourfast and waterproof after curing
- Excellent adhesion on aluminum
- Good adhesion on anodised aluminum

#### Options



146444 - 270ml Cartridge: Grey

## Soudafoam FR HY



### DESCRIPTION

HIGH YIELD fire rated, one component expanding polyurethane foam filler. 25% more yield than standard Soudafoam FR fire resisting foam. Rapid curing. Excellent thermal and acoustic insulation properties. Expands 35-40 times its initial volume. Excellent primerless adhesion on most construction materials. Available in Hand Held, Gun Grade DuraValve, Genius Gun and Click & Fix® versions. Conforms to all international standards.

### APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals.

- Fire rated polyurethane expanding foam filler
- EN13501-2 – Reaction to fire, class E
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- More than 25% linear yield than Soudafoam FR
- Linear yield FEICA TM1002 - 750ml Gun Grade: 35m
- Hand Held, Gun Grade, Genius Gun and Click & Fix® versions

#### Options

- 153087 - 750ml Canister (Straw): Red
- 153085 - 750ml Canister (Gun Grade): Red

## Soudaseal FR



### DESCRIPTION

HIGH YIELD fire rated, one component expanding polyurethane foam filler. 25% more yield than standard Soudafoam FR fire resisting foam. Rapid curing. Excellent thermal and acoustic insulation properties. Expands 35-40 times its initial volume. Excellent primerless adhesion on most construction materials. Available in Hand Held, Gun Grade DuraValve, Genius Gun and Click & Fix® versions. Conforms to all international standards.

### APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals.

- Fire rated polyurethane expanding foam filler
- EN13501-2 – Reaction to fire, class E
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- More than 25% linear yield than Soudafoam FR
- Linear yield FEICA TM1002 - 750ml Gun Grade: 35m
- Hand Held, Gun Grade, Genius Gun and Click & Fix® versions

#### Options

- 137450 - 290ml Cartridge: Grey
- 155483 - 600ml Foil Pack: Limestone
- 131480 - 600ml Foil Pack: Grey



## Firecryl FR

### DESCRIPTION

FIRE RATED intumescent acrylic sealant and filler. Totally solvent, silicone and isocyanate free. Colourfast and waterproof after curing. Can be painted over after curing. Odourless. Primerless adhesion on most construction materials. Conforms to all international standards including CE marking.

### APPLICATIONS

For use in internal passive fire protection systems as a joint sealant or filler; installation of fire retardant window and door frames, fire retardant connection joints, penetration seals, internal garages.

- Fire rated acrylic polymer sealant
- EN13501-1 – Reaction to fire, class E
- ETAG-026 – Part 1, Part 3
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- BS476 part 20 – Fire resistance, up to 4 hours depending on joint configuration
- Paintable with most coatings

#### Options

- 131479 - 310ml Cartridge: Grey
- 131478 - 600ml Foil Pack: Grey



## Flexible Insulation Expanding Foam

### DESCRIPTION

Flexible Insulation Expanding Foam is a one-component, self-expanding, ready to use polyurethane foam with elastic properties, which allow the foam to follow the movement of the joint and keep its insulation properties for many years. It has been fitted with the unique patented Genius Gun - adaptor system for maximum comfort during application.

### APPLICATIONS

Insulation and filling of expansion joints, filling of joints between wall panels, filling of openings between window frames and the surrounding constructions, filling wall cavities, holes, pipe penetrations. Perfect for improving thermal and acoustic insulation and eliminating drafts or thermal bridges. Does not react to most building materials including electric cables. Can be cut, sanded, painted, plastered or covered with sealant when cured.

- 3 times more flexible than standard PU foam
- Airtight (see IFT-report)
- Water Vapour Open
- Excellent stability (no shrinkage or postexpansion)
- High filling capacity
- Good adhesion on all surfaces
- High insulation value, thermal and acoustic

#### Options



130425 - 750ml Genius Gun: Blue

## Gap Filling Expanding Foam

### DESCRIPTION

Specially designed patented trigger mechanism, ensuring precise dosage and removing the need for an additional gun. It is easy to use and can be operated with one hand. Reusable up to 6 weeks after the first application. The expansion of the foam makes it the ideal gap filler. Sound reducing, extremely light, chemically inert once cured. Does not shrink or expand once cured.

### APPLICATIONS

Ideal for quick and easy filling of gaps, joints, holes, pipe penetrations. Perfect for improving thermal and acoustic insulation and eliminating drafts or thermal bridges. Does not affect building materials including electrical cables. Can be cut, sanded, painted, plastered or covered with sealant when cured. Cover in order to protect from UV light for longer life. Internal and external use.

- Excellent stability
- High filling capacity
- Good adhesion on all surfaces
- High insulation value, thermal and acoustic
- Very good bonding properties.



#### Options



132272 - 500ml Genius Gun: Champagne



130373 - 750ml Genius Gun: Champagne



## Flexifoam Gun

### DESCRIPTION

Flexifoam Gun is a one-component, selfexpanding, ready to use polyurethane foam with elastic properties, which allow the foam to follow the movement of the joint and keep its insulation properties for many years. Because of the Duravalve, the optimal yield remains over the entire shelf life, even when stored or transported lying down. Flexifoam Gun is filled with HCFC- and CFC-free propellants which are not harmful for the ozon layer.

### APPLICATIONS

Insulation and filling of expansion joints, filling of joints between wall panels, filling of openings between window frames and the surrounding constructions, filling wall cavities, holes, pipe penetrations. Perfect for improving thermal and acoustic insulation and eliminating drafts or thermal bridges. Does not react to most building materials including electric cables. Can be cut, sanded, painted, plastered or covered with sealant when cured.

- 3 times more flexible than standard PU foam
- Airtight (see IFT-report)
- Water Vapour Open
- Excellent stability (no shrinkage or postexpansion)
- High filling capacity
- Good adhesion on all surfaces
- High insulation value, thermal and acoustic



#### Options



117472 - 750ml Gun Grade: Blue



## Gap Filling Expanding Foam - Straw

### DESCRIPTION

A PU-based, one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants that are not harmful for the ozone layer.

### APPLICATIONS

Ideal for installing of window and door frames, filling of cavities, sealing of all openings in roof constructions, apply of an acoustic baffle and improving thermal isolation in cooling systems.

- Excellent stability (no shrinkage or postexpansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties. Freon free (not harmless to ozone layer and greenhouse effect)



#### Options

- 153470 - 500ml Can: Champagne
- 127968 - 750ml Can: Champagne

## Gap Filling Expanding Foam - Gun Grade

### DESCRIPTION

A PU-based, one-component, self-expanding, ready to use polyurethane foam, which contains HCFC- and CFC-free propellants that are not harmful for the ozonlayer and where the canister is provided with a thread so it can be used on a gun. Because of the Duravalve, the optimal yield remains over the entire shelf life, even when stored or transported lying down.

### APPLICATIONS

Ideal for installing of window and door frames. Filling of cavities. Sealing of all openings in roof constructions. Apply of an acoustic baffle. Improving thermal isolation in cooling systems.

- Excellent stability
- High filling capacity
- Good adhesion on all surfaces
- High insulation value, thermal and acoustic
- Very good bonding properties



#### Options

- 130278 - 750ml Can: Champagne

## Soudafoam SMX

### DESCRIPTION

Unlike classic expanding foams, SMX® Foam is entirely based on new technology. Soudafoam SMX® is a ready to use one component self expanding and 100% isocyanate free foam with a high filling capacity, high insulation value, thermal and acoustic properties. Good adhesion on all surfaces (except PE, PP and PTFE).

### APPLICATIONS

Sealing horizontal and vertical joints in wall and roof connections. Sealing of all openings in roof constructions. Filling of cavities. Apply of a sound absorbing layer. Apply of an acoustic baffle. Improving thermal isolation in cooling systems.

- Excellent stability
- High filling capacity
- Good adhesion on all surfaces
- High insulation value, thermal and acoustic
- Very good bonding properties



#### Options

- 113839 - 500ml Can: Off White



# SOUDAL BOND *EASY*

Makes life ***EASY***

What is it?

A PU Foam Adhesive.

What does it do?

Replaces traditional methods of fixing panels, insulation & drywall.


14m<sup>2</sup>

30%  
faster

750ml  
= 25kg



cellular  
concrete  
10m<sup>2</sup>



Soudal's UNIQUE Delivery Systems:







## Soudabond Easy



### DESCRIPTION

POLYURETHANE foam based, single component, construction adhesive. Quick and easy to use – no mixing required. Replaces traditional powder based adhesives. Used for the bonding of many building materials such as insulation panels, plasterboard and light weight building blocks in non-load bearing applications. Lightweight and easy to transport. Available in Hand Held MEGA ADAPTOR, Genius Gun® MAX and Gun Grade with Dura Valve versions.

### APPLICATIONS

Clean, efficient and economical bonding of many types of Insulation panels - polyurethane, phenol, resin foam. Can also be used for bonding polystyrene. Bonding of gypsum plasterboard in dry lining applications. Can be used for bonding non-load bearing walls. Bonds many other building materials such as brick, stone, aluminium, ceramics, MDF, steel, cork, wood and chipboard.

- Single component PU adhesive
- Up to 30% quicker than traditional methods
- Gap-filling capabilities
- No mixing required
- Porous and non-porous materials
- Hand Held, Gun Grade and Genius Gun® MAX versions



### Options

- 121734 - 750ml Adhesive Gun (Screw Top): Pink
- 130426 - 750ml Genius Gun®: Pink







## Soudabond Subfloor



### DESCRIPTION

A high strength, fast curing PU adhesive foam that collapses to a gel adhesive immediately after application. The product meets ASTM D3498, can be applied in temperatures as low as -17 °C, sticks to dry, wet or frozen timber and can help prevent floors from squeaking

### APPLICATIONS

Soudabond Subfloor will bond to most common building materials such as concrete, masonry, metals, plywood, OSB, treated timber, etc., making it the perfect product to be used as a subfloor adhesive and many more bonding applications. Bonding of timber subfloors to timber or metal joists.

- Stick to wet and frozen timber
- 1 can = 12 cartridges of Construction Adhesives
- 100% solvent free
- No mixing
- For interior & exterior use
- Saves application time by 75%

#### Options

- 137642 - 836ml Adhesive Gun (Screw Top): Brown



# NEW



## Soudabond Drywall

### DESCRIPTION

Soudabond Drywall is a ready-to-use, single component, high strength, fast curing polyurethane adhesive that is semi-collapsible after dispensing. It is used for clean, efficient and economical permanent drywall bonding in building and construction. Soudabond Drywall does not contain CFC's or HCFC's.

### APPLICATIONS

Clean, efficient and economical permanent bonding of all common types of drywall panels, plus other construction adhesive applications.

- Saves application time (up to 25%) and money over the use of traditional adhesives.
- Resistant to a variety of solvents, paints and chemicals.
- Water resistant (not watertight).
- Limited post expansion for fast and precise installation of drywall.
- Excellent initial bond
- Economical in use due to precise application.
- Substantial space and weight savings compared to conventional PU adhesives, bonding mortars, etc.

#### Options

- 153577 - 750ml Adhesive Gun (Screw Top): Champagne

# SOUDABOND MT



## Soudabond MT

### DESCRIPTION

Soudabond MT is a ready-to-use, waterproof and flexible adhesive paste. Soudabond MT is ideal for waterproof and flexible bonding of floor and wall tiles (CE approved D2TE according to EN 12004). The adhesive has a high initial tack and can be used on slightly moist substrates.

### APPLICATIONS

Waterproof and flexible bonding of ceramic tiles, mosaic tiles, stone strips and natural stone. As the adhesive meets class EN 12004 D2TE it is perfectly suited for applications in humid environments such as bathrooms, kitchens, showers and other humid rooms. Suitable for tiling onto porous substrates such as: fibre cement sheet, render, screed, concrete, plasterboard and also suitable for tiling onto Soudagum LM Waterproofing Membrane.

- Ready to use
- Good initial bonding, no sagging
- Suitable for natural stone
- Moisture and water resistant
- Long open time
- Class D2TE according to EN 12004

### Options



131338 - 15kg Tub: White






# STRONG



# ASNAILS

CONSTRUCTION ADHESIVE

*EVOLUTION...*



FIBRE RE-INFORCED  
for increased end strength



**SOUDAL**



## Strong As Nails Fix It



### DESCRIPTION

Solvent based high performance, gap filling construction adhesive. High bond strength. Suitable for vertical and horizontal bonding applications, both inside and outside. Does not attack Polystyrene.

### APPLICATIONS

Versatile adhesive, finding utility in assembly bonding, renovation tasks, construction applications, and the bonding of cable trays and panels.

- Multi-purpose
- High performance
- High bond strength
- Easy to gun
- Waterproof packaging
- Excellent adhesion to most building materials



#### Options

- 144898 - 350g Cartridge: Beige
- 144904 - 20x 350g Tub: Beige

## Strong As Nails Super Grab



### DESCRIPTION

Solvent free, high performance, premium grade gap filling construction adhesive. High initial grab – up to 140kg/m<sup>2</sup> making it ideal for bonding heavy materials without slump. Repositionable for up to 30mins. Water-based so low odour and low toxicity (VOC).

### APPLICATIONS

Excellent adhesion on typical building surfaces, and suitable for fixing materials like wood, synthetics, stone, and metal to surfaces such as concrete, stone, plasterboard, wood, and chipboard. Versatile for bonding panel work, trays, decorative materials, as well as cable trays and panels.

- High performance
- Super initial grab - up to 140 kg/m<sup>2</sup>
- Cartridges made from recycled materials
- Ideally for bonding heavy materials
- High bond strength
- Very low VOC, meets GBCA requirements
- Waterproof packaging
- Excellent adhesion to most building materials



#### Options

- 144903 - 350g Cartridge: Beige
- 144902 - 20x 350g Tub: Beige



## SMX®-20 Plus Adhesive



### DESCRIPTION

SMX®-20 Plus is a flexible adhesive based on SMX® Technology. Suitable for bonding many types of timber floors onto indoor substrates. It contains no water or solvent - minimising the risk of deforming the timber floor to a minimum. Once fully cured, it forms an elastic and non-shrinkable adhesive layer, which is resistant to moisture and heat. SMX®-20 Plus has an excellent adhesion to most common substrate used in construction industry.

### APPLICATIONS

Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood, chipboard, existing ceramic tiles, including floors with under floor heating.

- Fast curing
- Walk on after 8 hr, sand after 24 hrs
- Ready to use, no mixing required
- Remains permanently elastic
- Free of isocyanates, solvents & water
- 18 KG = 18 - 20m<sup>2</sup>
- 16 KG = 16 m<sup>2</sup>
- 600 ML = 1 m<sup>2</sup>

#### Options

- 130243 - 600ml Foil Pack (Sausage): Light brown
- 132261 - 16kg Tub: Light brown
- 132271 - 18kg Tub (3x 6kg Foil Bags): Light brown



## SMX®-30 Plus Adhesive (2-in-1)



### DESCRIPTION

SMX®-30 Plus is a 2:1 flexible adhesive and moisture barrier that is solvent and water-free based on SMX® Technology. Once fully cured, an elastic and non-shrinking adhesive layer is formed, which is resistant to moisture and heat. SMX®-30 Plus does not contain water or solvents, minimising the risk of deforming the timber to a minimum. Suitable for subfloors with a residual moisture content up to 6% or 95% relative humidity without the use of a moisture barrier due to the unique sealing capabilities.

### APPLICATIONS

Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, and on-end parquet, wood-planks up to 18cm wide, wood- block and laminates. Suitable for use on porous / non-porous substrates such as mosaic, concrete, screeds, wood, chipboard, existing ceramic tiles, including floors with underfloor heating. Extremely suitable for bonding moisture sensitive wood onto moderately porous surfaces.

- Rapid cure & build up of final strength
- Walk on after 2 hr, sand after 12 hrs
- Forms stable peaks once applied
- High final bond strength
- Free of isocyanates, solvents & water
- 18 KG = 18 - 20m<sup>2</sup>
- 600 ML = 1 m<sup>2</sup>

#### Options

- 120625 - 600ml Foil Pack (Sausage): Brown
- 120626 - 18kg Tub (3x 6kg Foil Bags): Brown





## LVT Premium Adhesive



### DESCRIPTION

PREMIUM QUALITY, ready to use, solvent-free dispersion adhesive for bonding of elastic flooring materials to flat, absorbent surfaces.

### APPLICATIONS

Used for the bonding of flexible flooring materials such as LVT (luxury vinyl tiles) flooring, PVC tiles and cushion vinyl. Also suitable for rubber floorings, fibre bonded and carpet tiles, textile carpets and linoleum onto porous, flat surfaces such as concrete (screed), levelling compounds and timber.

- Ready to use solvent-free dispersion adhesive
- High initial tack
- Short evaporation time, approx. 10 minutes
- Long open time, approx. 30 minutes
- Very high final strength
- Can be walked over immediately after application
- Heat resistant, can be used with under floor heating
- EC-1 PLUS label: very low emissions
- Complies with EN14259: Adhesives for floor coverings

### Options



134895 - 13kg Bucket: Light Beige





## High Tack Stud Adhesive



### DESCRIPTION

High strength, high tack adhesive suitable for adhering of internal plasterboard and fibre cement, wallboards, timber and steel frames for wall and ceiling installations. A low VOC adhesive that surpasses all requirements of the Australian Standard AS2753-1985.

### APPLICATIONS

Ideal for a bonding of drywall panels, internal plasterboard panels and fiber cement wallboard to timber and approved metal studs (Truecore, Rondo, Knauf have been tested). Also ideal for bonding Wall and Ceiling applications and bonding of decorative elements, cornices, skirting boards, etc.

- High bond strength
- Initial grab >140kg/m<sup>2</sup>
- Longer open time
- Timber & metal stud
- Zero slump
- Low VOC

### Options

- 144655 - 600ml Foil Pack: Blue
- 144656 - 5.2kg Tub: Blue





## Water Resistant PVA Wood Glue

### DESCRIPTION

A one component, humidity resistant, interior and exterior PVA wood adhesive that fulfills the requirements for long term high bond strength. Water resistant to class D3 (EN204).

### APPLICATIONS

Suitable for bonding of wood products, MDF, particle board, formica, veneers, oak and tropical hardwood.

- Conforms to DIN EN 204 grade D3
- Odourless
- Fast drying
- High bond strength

#### Options

- ☐ 129183 - 250ml Bottle: White
- ☐ 129184 - 500ml Bottle: White
- ☐ 117245 - 1L Bottle: White
- ☐ 116946 - 5L Jerry Can: White



## Waterproof PU Adhesive

### DESCRIPTION

Waterproof PU Adhesive which foams up slightly during curing to fill gaps. Extremely high strength, rigid once cured. It will set hard in about 3 hours and even bonds to wet surfaces. Excellent resistance to solvents and chemicals.

### APPLICATIONS

Waterproof PU Adhesive can be used to bond most types of wood (soft, hard) laminate, polystyrene foam, PU foam and glass wool to porous surfaces. Also adheres to metal, stone, ceramics, porcelain, glass, concrete, brick, masonry and most plastics (Not PE, PP). Typical areas of use include window and door frames, wood jointing and construction, staircases, ladders, boat building, general household repair, hobby use and much, much more. Interior applications with frequent long-term exposure to running or condensed water. Exterior applications with exposure to weather influences. Manufacturing of door and window-frames that need to meet class D4 according to EN204. Substrates should be clamped during 180 minutes for best adhesive performance.

- Easy application
- High bond strength
- UV resistant
- Transparent when dry
- Resistant to high temperature

#### Options

- ☐ 130318 - 750g Bottle: Light Brown



## 110 LQ Contact Adhesive

### DESCRIPTION

Ready to use brush/trowel grade, solvented contact adhesive based on polychloroprene rubber (neoprene). It contains 22% solid content. 110LQ Contact Adhesive has great holding strength and does not require clamping to hold the materials.

### APPLICATIONS

110 LQ Contact Adhesive is suitable for bonding different materials like metals, rubber, leather, cork, plastic, wood, felt, etc., on various type of surfaces.

- High initial tack
- Fast build-up of end strength
- High adhesive strength
- Moisture resistant
- Heat resistance up to 110° C



### Options

- 134658 - 500ml Tin: Amber
- 131189 - 1L Tin: Amber
- 131190 - 5L Tin: Amber

## Contact Adhesive Gel

### DESCRIPTION

A universal, toluene free, solvented ready to use tixotropic contact adhesive based upon rubber and synthetic resins.

### APPLICATIONS

Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves. Bonding synthetic decoration panels and worktops in wood, metal or board.

- Gel neoprene adhesive
- Solvent based
- Fast drying
- High strength adhesive
- Moisture resistant



### Options

- 104808 - 50ml Blister Pack Tube: Amber

## Contact Adhesive Liquid

### DESCRIPTION

LIQUID solvent based neoprene contact adhesive. Universal, toluene free formulation, based upon rubber and synthetic resins. Available in a range of formats, the ready to use adhesive is easy to apply and fast curing. High final bond strength. Damp resistant.

### APPLICATIONS

For the bonding of many materials, such as rubber, leather, cork, plastic, felt, etc. onto various surfaces or to the same material. Perfect for bonding synthetic decoration panels and worktops on wood, metal or board.

- Liquid neoprene adhesive
- Solvent based
- Fast drying
- High adhesive strength
- Moisture resistant



### Options

- 100033 - 50ml Blister Pack Tube: Yellow

## Contact Adhesive Spray

### DESCRIPTION

Sprayable contact adhesive, for the universal bonding of most materials. Ideal for bonding carpet and floor coverings. The ready to use formulation can achieve both permanent or temporary adhesion.

### APPLICATIONS

Used for the bonding of paper, cardboard, photos and posters, textile, felt, cork on cork, wood, concrete, glass and metals. Should not be used on PE/PP/PS (polystyrene) and mild PVC.

- Contact adhesive aerosol spray
- Use for permanent or temporary bonding
- High adhesion
- Moisture resistant
- Suitable for most materials



### Options

- 132675 - 300ml Aerosol: Transparent

## Contact Adhesive Transparent

### DESCRIPTION

TRANSPARENT, ready to use, solvented contact adhesive. The universal, vinylacetate polymer based formulation is perfect for when an invisible bond is required.

### APPLICATIONS

Suitable for bonding of plastics, chipboard, particle board, rubber, leather, linoleum, cork etc. to each other and to timber, concrete, metals, etc.

- Transparent contact adhesive
- Solvent based
- Fast drying
- High adhesive strength
- Moisture resistant



### Options

- 131972 - 50ml Tube: Transparent





## 142 SP Contact Adhesive

### DESCRIPTION

Ready to use, toluene free, pink, sprayable contact adhesive based on polychloroprene (Neoprene®)

### APPLICATIONS

Used in two-sided adhesions on various materials, wood and stratified decorative coveringpanels (Formica®, Resopal®,...), veneer, stairsteps and nosings, PVCplinth, leather, cork, textile, with each other for wood, wood derivatives, stone, concrete, plaster, metal and other smooth, non-porous surfaces. Meant for all adhesions where a fast bonding is required, for adhesions of two non-porous materials. Only for interior use

- Ready to use, on a sprayable viscosity
- Immediately fixed
- Fast strength build-up
- Resistant against high temperatures
- Moisture resistant
- Toluene free

#### Options



109777 - 20L Tin: Rose



## 145 SPT Contact Adhesive

### DESCRIPTION

Ready to use, toluene free, sprayable contact adhesive based on polychloroprene (Neoprene®)

### APPLICATIONS

Used in two-sided adhesions on various materials, wood and stratified decorative coveringpanels (Formica®, Resopal®,...), veneer, stairsteps and nosings, PVCplinth, leather, cork, textile, with each other for wood, wood derivatives, stone, concrete, plaster, metal and other smooth, non-porous surfaces. Meant for all adhesions where a fast bonding is required, for adhesions of two non-porous materials. Only for interior use

- Ready to use, on a sprayable viscosity
- Immediately fixed
- Fast strength build-up.
- Moisture resistant.
- Resistant against high temperatures
- Toluene free

#### Options



128677 - 20L Tin: Clear

## Epofix 82A



### DESCRIPTION

High performance and very fast setting 2 part epoxy adhesive with maximum strength. Bonds a variety of surfaces and quick setting in 10 minutes. Once cured it will form a durable rigid bond.

### APPLICATIONS

Epofix is suitable for bonding a wide variety of materials including porcelain, metals, wood, ceramic, glass, plastics etc.

- Easy to use dual syringe
- Fast curing
- Fast strength build-up
- 2 component adhesive
- High strength
- Re-useable

#### Options

- 100071 - 290ml Cartridge: Clear

## SMX Ultra Repair Adhesive



### DESCRIPTION

Single component, transparent, SMX Polymer based repair adhesive. Remains permanently flexible after curing. Solvent free and odourless formulation.

### APPLICATIONS

For the gluing of (imitation) leather, textile, metal, ABS, rubber, cork, plastic, felt, and many hard and soft plastics, etc. Bonding of transparent materials such as glass, PC, Plexiglas and PMMA. Repair of porcelain and pottery.

- SMX hybrid polymer
- Extremely powerful
- Fast setting
- Adheres to most materials
- Indoor and outdoor applications

#### Options

- 134478 - 20ml Tube: Clear



## Purocol Express

### DESCRIPTION

POLYURETHANE gun applied, thixotropic construction adhesive. Professional quality. Transparent. Extra fast curing. Gap filling characteristics, suitable for uneven surfaces. Waterproof. Conforms to DIN EN 204 grade D4. Solvent free. Five minute open time.

### APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and other common materials in the building industry. General joinery of wooden materials.

- Gun applied thixotropic PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- Transparent
- 5 minute open time
- Pressing time - 1 hour
- Extra fast

#### Options

- 112524 - 310ml Cartridge: Transparent







## 2C Adhesive Kits

### DESCRIPTION

Cyanoacrylate based high viscosity adhesive with aerosol activator. Particularly useful for production lines and UPVC window trim. Activator reduces blooming and odour.

### APPLICATIONS

Used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints when compared to conventional wood adhesives. The product is also suitable for instant bonding of MDF, rubber, PVCu, metals and most plastics.

- 2 part adhesive system
- High bond strength
- Non yellowing
- High viscosity adhesive
- For porous and non porous substrates
- Ideal for vertical surfaces

#### Options

- ☐ 135623 - 50g/200ml: Transparent
- ☐ 135624 - 100g/400ml: Transparent



## Cyanofix 84A Liquid Superglue

### DESCRIPTION

A superfast solvent free instant superglue that is set in 1 minute. Easy to control bottle and dries clear.

### APPLICATIONS

Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.

- High bond strength
- Bonds to wide range of materials
- Fast cure
- Solvent-free

#### Options

- ☐ 100072 - 3g Tube: Transparent
- ☐ 101125 - 20g Tube: Transparent



## Cyanofix Gel Superglue

### DESCRIPTION

Cyano GEL is a non dripping gel type adhesive for the fast bonding of materials which are not exactly matching. The adhesive has a longer open time than regular cyano acrylates.

### APPLICATIONS

Suitable for bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.

- High adhesive strength
- Bonds to wide range of materials
- Fast cure
- Single component system

#### Options

- ☐ 116390 - 3g Tube: Transparent





## FIX ALL® Ultra Strong Mounting Tape

### DESCRIPTION

Ultra-strong double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials. Highly durable and long-lasting adhesion to the surface, providing an ultra-strong bond inside and outside.

### APPLICATIONS

Suitable for a wide range of bonding applications, including the mounting of fire detectors, coat racks, photo frames and much more. Can be used both indoor and outdoor. Can be used in bathroom or damp environments.

- Ultra-strong mounting tape
- Quick and easy bonding
- High adhesive strength
- Easy peel liner
- Indoor and outdoor use
- UV and moisture resistant

### Options

- 155515 - Roll: 1.5m x 19mm: White

## FIX ALL® 100% Clear Mounting Tape

### DESCRIPTION

Transparent double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials. Highly durable and long-lasting adhesion to the surface, providing a strong bond inside and outside.

### APPLICATIONS

Bonding of transparent materials such as glass and plexiglass, as well as other objects and materials. Can be used both indoor and outdoor. Can be used in bathroom or damp environments.

- 100% Clear mounting tape
- Ultra thin
- Permanently clear
- High adhesive strength
- Indoor and outdoor use
- UV and moisture resistant



### Options

- 155514 - Roll: 1.5m x 19mm: Clear



## Soudagum Hydro



### DESCRIPTION

HYBRID POLYMER, solvent free waterproof protective coating suitable for a broad range of applications from roof & gutter repair to general sealing and protection of interior and exterior joints, gaps and cracks. The single-component liquid membrane is suitable for both horizontal and vertical surfaces. Can be reinforced with a fleece lining (110g/m<sup>2</sup>) between two layers of the liquid coating. Available in 5kg and 10kg buckets, or a 1kg repair kit.

### APPLICATIONS

For both indoor and outdoor applications where a protective waterproof coating is required. Suitable for the waterproofing of skylights, dome lights, pipe collars and wall breakthroughs. Waterproofing and repair of roofs and metal/plastic guttering. Repair and renovation of rooftops (pans, slats, zinc), roof edges and chimney flashings. Treatment of lead and zinc corrosion. For protection and renovation of wooden constructions, including fence posts to protect against exposure to moisture.

- Ready to use, single component waterproof coating
- Solvent and isocyanate free
- Excellent workability
- Can be applied in 2 layers
- Excellent adhesion on most substrates
- Good UV and weather resistance

#### Options

- 134553 - 1kg Repair Kit: Grey
- 131634 - 5kg Tub: Grey
- 131632 - 10kg Tub: Grey



## Soudagum LM



### DESCRIPTION

A polymer dispersion with mineral fillers, a plasticizer, a flow controlling agent and preservation additives. It is a fast-drying, ready to use, solvent free, thixotropic paste. Cures into a flexible membrane once dried.

### APPLICATIONS

Liquid waterproofing membrane for internal wet areas such as bathrooms, showers and laundries over concrete, cement renders, gypsum boards. Flexible and resistant membrane for the waterproofing of indoor floor and wall surfaces of wet rooms with temporary standing water, which will be covered by ceramic tiles. To be applied before the installation of ceramic tiles.

- Class III membrane
- Re-coat in 4 hrs
- Tile over in 12 hrs
- Ideal for trade /DIY
- Permanently elastic

#### Options

- 126581 - 4kg Tub: White
- 144615 - 22kg Tub: White





## Soudatape OC

### DESCRIPTION

Preformed tape for placement in the outside corners, pack includes 2 pcs of outside corners.

#### Options

126577 - L: 2X 120mm, W: 150mm: White



## Soudatape IC

### DESCRIPTION

Preformed tape for placement in the inside corners, pack includes 2 pcs of inside corners.

#### Options

126578 - L: 2X 105mm, W: 150mm: White



## Soudatape ST

### DESCRIPTION

Sealing tape for floor and wall and the wall junctions - 10 lineal meters per box.

#### Options

126579 - L: 10m, W: 120mm: White



## Soudatape PD

### DESCRIPTION

Preformed cuffs for placement around pipes and drains, pack includes 2x100mm + 1x150mm cuffs.

#### Options

126576 - D: 2X 100mm, 1X 150mm: White



## Soudatight Geotextile


### DESCRIPTION

A non-woven fabric out of polypropylene, needle punched and heat treated, produced without adhesive or chemical binder for use in combination with the Soudagum Hydro at seam-, gap and crack-bridging applications.

#### Options

131003 - L: 15m, W: 15cm: White

### HOW TO USE SOUDATIGHT GEOTEXTILE WITH SOUDAGUM HYDRO







**BUILD THE FUTURE**





## Surface Activator

### DESCRIPTION

UNIVERSAL cleaner, degreaser and primer. Used for activating non-porous surfaces to achieve an improved adhesion. Cleaning, degreasing and activating of non-porous substrates.

### APPLICATIONS

Cleaning of non-porous surfaces prior to the application of silicones, polyurethanes, hybrid polymers and polysulphides.

- Liquid surface activator for non-porous surfaces
- Cleans, degreases and activates
- Universal use, can be used with many types of sealants and adhesives
- One component - easy to use
- Clear

#### Options

- ☐ 101638 - 500ml Bottle: Clear
- ☐ 113596 - 5L Bottle: Clear



## Activator Spray 601

### DESCRIPTION

UNIVERSAL aerosol applied surface activator for use with silicone, PU and hybrid polymer based sealants and adhesives. Used to improve the adhesion on anodized, lacquered and powder coated aluminium. Mild smelling. Fast drying. Compatible with most lacquered surfaces. Also suitable for most plastics and other metals.

### APPLICATIONS

Priming of anodized, lacquered and powder coated aluminium surfaces prior to the application of silicone and hybrid polymer sealants and adhesives.

- Aerosol applied liquid surface activator
- For use on powder coated aluminium
- Activates and primes
- Works with silicone and hybrid polymers
- One component - easy to use
- Clear

#### Options

- ☐ 134507 - 500ml Aerosol: Clear



## Primer 100



### DESCRIPTION

UNIVERSAL one part, porous surface primer. Liquid, easy to apply. Suitable for all professional sealants and adhesives based on polyurethane, polysulphide and hybrid polymers.

### APPLICATIONS

Priming of expansion joint surfaces. Joint surfaces of porous materials with high water exposure.

- Liquid primer for porous substrates
- Universal use; can be used with polyurethane, polysulphide and hybrid polymers
- One component - easy to use
- Clear

#### Options



123012 - 500ml Bottle: Clear

## Primer 150



### DESCRIPTION

UNIVERSAL one part, porous surfaces primer. To be used with silicone sealants, hybrid polymer sealants and adhesives. Liquid, easy to apply.

### APPLICATIONS

Priming of expansion joint surfaces. Joint surfaces of porous materials with high water exposure.

- Liquid primer for porous surfaces
- Universal use, can be used with silicones and hybrid polymers
- One component - easy to use
- Clear

#### Options



123011 - 500ml Bottle: Clear

## Soudaprim DP

### DESCRIPTION

A solvent-free, ready to use deep priming polymer dispersion with plasticizer, a flow controlling agent and preservation additives. The very fine particles make it a sealer, and its very low viscosity gives it a higher penetrating capacity compared to other primers.

### APPLICATIONS

To be used as a primer before application of a waterproofing membrane on indoor floor and wall surfaces that are porous substrates like concrete, cement, gypsum boards, cement sheet, etc. Once applied, it can be coated with a liquid membrane such as SOUDAGUM LM.

- Can be over coated in just 1 hour
- Deep penetration nano-particles
- Strengthens substrate
- Binds dust
- Limits absorption by substrate
- Consumption = 100 - 200 mL / m<sup>2</sup> (1 coat)



#### Options



126575 - 1L Bottle: Pink



126574 - 5L Bottle: Pink

## Adhesive Remover



### DESCRIPTION

Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

### APPLICATIONS

Transparent solvent mixture suitable for removing fresh glue stains. Cleans brushes, palette knives and spatulas. Removes excess contact adhesive. Not suitable for polystyrene and Plexiglas. May damage certain surfaces (e.g. plastics).

- Removes fresh glue stains
- Cleans and degreases
- Does not leave residue
- Aerosol can be used at any angle (360°)

### Options

- 119710 - 400ml Aerosol Spray: Transparent

## Sealant Remover



### DESCRIPTION

A ready-to-use and fast-working spray based on terpenes for removing hardened silicones and Hybrid Polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

### APPLICATIONS

Removal of old silicone residue, spilled silicone or spilled Hybrid Polymers from different kind of surfaces.

- Fast-working
- Does not drip
- Specifically for silicones and Hybrid Polymers
- Spray action

### Options

- 119709 - 400ml Aerosol Spray: Transparent



## Brake Cleaner



### DESCRIPTION

Powerful, fast-drying cleaner for brake and clutch parts.

### APPLICATIONS

Removes excess brake fluid, excess oil, dirt, etc. quickly. Prevents squeaking brakes and clutch slipping. Easy to apply from all angles and does not corrode metals.

- Cleans and degreases
- Does not drip
- Quick-drying
- Does not corrode metals
- Prevents squeaking sounds
- Aerosol can be used at any angle (360°)

### Options

- 119712 - 400ml Aerosol Spray: Transparent

## Cleaner & Degreaser



### DESCRIPTION

Powerful quick-drying cleaner and degreaser for various maintenance and assembly jobs. Can be used on most surfaces (metal, plastics, PVC) and leaves no residue.

### APPLICATIONS

Suitable for cleaning and degreasing mechanical parts. Also suitable for the preparation of surfaces prior to the application of sealants or adhesives. For the removal of uncured excess hybrid, PU or silicone sealants, tar residue, grease, wax.

- Cleans and degreases
- Leaves no residue
- Quick-drying
- Aerosol can be used at any angle (360°)

### Options

- 119708 - 400ml Aerosol Spray: Transparent

## Multi Cleaner



### DESCRIPTION

A universal cleaning foam spray. Foam action helps to break down dirt and contaminants. Foam product means it does not drip or run.

### APPLICATIONS

Ideally suited for cleaning vertical surfaces such as glass, tiles, mirrors, laminate, PVC, kitchens, car interiors, textile, carpets, office equipment, etc.

- Cleans and degreases
- Highly soluble
- Does not drip
- Does not leave any residues
- Foam action

### Options

- 119711 - 400ml Aerosol Spray: Transparent



## Multi Spray



### DESCRIPTION

High grade universal spray with 8-fold action: dust remover, lubricant, cleaner, penetrating oil, anti-corrosive, damp repellent, shock and contact spray. It does not corrode plastics or metals and leaves a protective film on surfaces after use.

### APPLICATIONS

Universal use product that can be used on many components such as screws, bolts, nuts, moving parts, axles, hinges, chains and garden tools.

- Universal use spray
- 8-fold action
- Can be used on metals, plastics and rubbers
- Aerosol can be used at any angle (360°)



### Options

- 119707 - 400ml Aerosol Spray: Transparent

## PTFE Spray



### DESCRIPTION

High grade PTFE based lubricant. Repels water and dirt. Long life protection against friction and wear. Excellent mechanical and thermal stability. High penetration characteristics.

### APPLICATIONS

Used for parts subject to high pressure and temperature loads, especially metals and plastics. Applications include pulleys, chains, gears, ball bearings, conveyer belts and other critical applications.

- PTFE based
- High pressure & temperature resistance
- Long life protection
- Lubricates and protects
- Aerosol can be used at any angle (360°)



### Options

- 119705 - 400ml Aerosol Spray: Transparent



## Silicone Spray



### DESCRIPTION

Transparent lubricating and anti-adhesive spray based on high performance silicone oils. Lowers friction and prevents wear and tear on mechanical components. Prevents dirt and grease build up. Very high temperature resistance.

### APPLICATIONS

Used on plastics and rubbers to lubricate and protect. Typical applications include sliding doors and rubber seals, lubricating gutter and pipe seals.

- Silicone based
- Transparent
- Lubricates and protects
- Very high temperature resistance
- Aerosol can be used at any angle (360°)



### Options

- 119704 - 400ml Aerosol Spray: Transparent

## Vaseline Spray



### DESCRIPTION

Transparent lubricating and protection spray. Dilutes acids and alkalis, and prevents general wear and tear. High temperature resistance.

### APPLICATIONS

Used on metals and plastics to protect against water and weather conditions. Typical applications include door and window hinges, nuts, screws, garden tools and rolling shutters.

- Silicone based
- Transparent
- Lubricates and protects
- Very high temperature resistance
- Aerosol can be used at any angle (360°)



### Options

- 119703 - 400ml Aerosol Spray: Transparent

## White Grease



### DESCRIPTION

Lithium soap and PTFE based penetrating lubricant and grease. Waterproof. Double action effect; applies like oil, then sets like grease. Anti-corrosive properties.

### APPLICATIONS

Suitable for heavy duty lubrication of mechanical parts such as ball bearings, axles, sprockets, conveyer belts and rubber seals.

- Lithium and PTFE based
- Double action oil and grease
- Anti-corrosive
- Heavy duty applications

### Options

- 119706 - 400ml Aerosol Spray: Transparent



## Contact Spray



### DESCRIPTION

Universal spray for the cleaning and maintenance of electric contact areas. Dissolves corrosion and oxidation. Reduces humidity. Non corrosive. Suitable for interior and exterior applications.

### APPLICATIONS

Suitable for electric contact points such as switches, batteries and light switches. Cleans and deoxidizes surfaces and improves the power transmission at electric contacts. Stops moisture penetration. Also suitable for dehumidifying of electric wirework and tools.

- Universal use
- Reduces humidity and corrosion
- Interior and exterior use
- Aerosol can be used at any angle (360°)



### Options

- 119715 - 400ml Aerosol Spray: Transparent

## Cutting Oil



### DESCRIPTION

A high quality oil which prevents overheating of metals when cutting and drilling. Excellent anti-mist characteristics. Silicone free.

### APPLICATIONS

Reduces resistance in cutting tools. Suitable for drilling, milling, cutting, sawing, filing, tapping, turning, planing and punching of steel and most ferrous and non-ferrous metals. Reduces friction and wear. Excellent cooling characteristics.

- Non corrosive, does not contain silicones
- Can be used with most metals
- Anti-misting properties
- Aerosol can be used at any angle (360°)



### Options

- 119717 - 400ml Aerosol Spray: Transparent





## Degrip All



### DESCRIPTION

A high quality penetrating oil which dissolves rust and corrosion. Superior penetrating characteristics. Protects against rust and corrosion.

### APPLICATIONS

Highly efficient in releasing corroded and rusted metal parts such as nuts, bolts and machine parts. Due to the very low surface tension it penetrates into very small openings to release stuck parts. Can be used with machinery, nuts, bolts, flanges, etc.

- Penetrating action
- Dissolves and protects against rust
- For interior and exterior applications
- Aerosol can be used at any angle (360°)



### Options

- 119716 - 400ml Aerosol Spray: Transparent

## Zinc Spray (Matt)



### DESCRIPTION

High-grade zinc spray with sprayable zinc compound (98% zinc). Has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective. Matt finish.

### APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Good resistance against mechanical shocks, rubbing and erosion
- Matt finish
- Suitable over spot welding
- Good electrical conductor

### Options

- 155885 - 400ml Aerosol Spray: Grey

## Zinc Spray (Shiny)



### DESCRIPTION

High-grade sprayable alu-zinc compound. Alu-Zinc spray has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective.

### APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Shiny finishing coat
- Good resistance against mechanical shocks, rubbing and erosion
- Very economic, effective and reliable
- Suitable over spot welding

### Options

- 154608 - 400ml Aerosol Spray: Silver



## Soudafix CA1400



### DESCRIPTION

High performance, two-component anchoring resin for the pressure-free securing of anchoring rods, studs, reinforcing bars, threaded collars, profiles, etc. in structural and high load applications.

### APPLICATIONS

Suitable for various solid and hollow materials, such as concrete, cracked concrete, solid brick, hollow brick, porous concrete, natural stone, plasterboard walls, etc.

- Easy to use and to apply
- Can be applied with standard caulking gun
- Fast cure and styrene free (low odour)
- Can be used in wet drill holes, even underwater
- Watertight and impermeable fixin



#### Options

- 125538 - 165ml Cartridge: Grey
- 125539 - 280ml Cartridge: Grey



## Soudafix VE400-SF

### DESCRIPTION

A two-component anchoring resin for the pressure-free securing of threaded rods (ETA: M8-M30), studs, reinforcement bars (ETA: Ø8-Ø32), threaded collars, profiles etc in various solid and hollow materials, such as cracked and uncracked concrete, solid brick, hollow brick, porous concrete, natural stone, plasterboard walls, etc. Soudafix VE400-SF has a fire resistance class of F120 and has a high resistance to chemicals.

### APPLICATIONS

Securing of heavy loads in solid and hollow building materials. Pressure free anchoring even close to edges. Can be used as repair mortar.

- High compression strength
- High fire resistance F120
- Easy to use and to apply
- Fast cure and styrene free
- Can be used in wet drill holes, even underwater




#### Options

- 117475 - 380ml Cartridge: Grey



# SWIPEX

## SUPER CLEANING WIPES



- Cleans hands, tools & surfaces
- Works with silicone, hybrid polymers, PU foam and adhesives
- Quick, easy and safe to use
- 100 wipes per tub



## Swipex Wipes

### DESCRIPTION

HEAVY DUTY cleaner to remove all kinds of dirt from your hands. Granular texture helps to scrub dirt away. Suitable for removing adhesives, silicone and PU foam. Contains Sericin with moisturiser that protects skin and hands.

### APPLICATIONS

Suitable for the removal of adhesives, silicone, PU foam, paint and oil from hands.

- Heavy duty hand cleaner
- Granular texture to help remove dirt quickly
- Fast acting and drying
- Contains Sericin which moisturises hands
- Works on adhesives, PU foam, silicone, paint and oil

#### Options

113551 - Tub: 100 Wipes

128470 - Flow Pack: 50 Wipes



## Swipex Hand Cleaner

### DESCRIPTION

HEAVY DUTY cleaner to remove all kinds of dirt from your hands. Granular texture helps to scrub dirt away. Suitable for removing adhesives, silicone and PU foam. Contains Sericin with moisturiser that protects skin and hands.

### APPLICATIONS

Suitable for the removal of adhesives, silicone, PU foam, paint and oil from hands.

- Heavy duty hand cleaner
- Granular texture to help remove dirt quickly
- Fast acting and drying
- Contains Sericin which moisturises hands
- Works on adhesives, PU foam, silicone, paint and oil

#### Options

127329 - 1L Bottle: Red





### Cartridge Gun Skeleton

#### DESCRIPTION

Steel skeleton gun. Soudal dripless system. Suitable for all cartridge applied adhesives, fillers and sealants.

#### Options

111072 - 310ml Manual Cartridge Gun - Yellow



### Cartridge Gun Heavy Duty

#### DESCRIPTION

Heavy duty steel skeleton gun. Soudal dripless system. Even pressure distribution for perfect application. Suitable for all cartridge applied adhesives, fillers and sealants.

#### Options

106617 - 310ml Manual Cartridge Gun - Black



### Heavy Duty Barrel Sausage Gun

#### DESCRIPTION

Soudal manual foilpack gun. Can be used with all foilpack products.

#### Options

112802 - 600ml Manual Foil Gun with Spare Clear Barrel

118142 - Plunger Push Disk Spare Part



### 410ml Chemical Anchor Gun

#### DESCRIPTION

Gun for coaxial 2-component cartridge of 380ml – 410ml.

#### Options

103265 - 410ml: Red/Black

## PRO PU Foam Gun

### DESCRIPTION

PROFESSIONAL GRADE polyurethane applicator gun for use with gun foams.

### APPLICATIONS

For the application of PU foams and cleaners.

#### Options

137930 - Gun Grade: Standard Size



## 1 Meter PU Foam Gun

### DESCRIPTION

HEAVY DUTY PROFESSIONAL GRADE metal polyurethane applicator gun for use with gun foams. 1 meter reach for easier accessibility in harder to reach areas.

### APPLICATIONS

For the application of PU foams and cleaners.

#### Options

119559 - Gun Grade: 1m Extra Long Barrel



## Economy PU Foam Gun

### DESCRIPTION

PROFESSIONAL GRADE metal polyurethane applicator gun for use with gun foams.

### APPLICATIONS

For the application of PU foams and cleaners.

#### Options

222502 - Gun Grade: Standard Size



## Pneumatic Applicator Sausage Gun

### DESCRIPTION

A premium quality applicator gun. Suitable for dispensing 600ml sausages.

### APPLICATIONS

For the application of PU foams and cleaners.

- Made in England
- True adjustable air regulator
- Instant dump valve



#### Options

126784 - Aluminium

## Pneumatic Applicator Cartridge Gun

### DESCRIPTION

A premium quality applicator gun. Suitable for dispensing 300ml cartridge.

### APPLICATIONS

For the application of PU foams and cleaners.

- Made in England
- True adjustable air regulator
- Instant dump valve



#### Options

126786 - Aluminium



## Gun & Foam Cleaner

### DESCRIPTION

SOLVENT BASED aerosol spray applied, polyurethane foam cleaner.

### APPLICATIONS

Used for the cleaning of PU Foam applicator guns. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

- Solvent based PU Foam cleaner
- Quick & easy to use
- Attachable spray nozzle
- Aerosol applied
- Gun Grade and Click & Fix® versions

#### Options

- 106310 - 500ml Gun & Foam Cleaner (Screw Top): Clear



## Foam Remover

### DESCRIPTION

GEL BASED PU foam cleaner. Odourless and free of aromatic solvents.

### APPLICATIONS

For the quick and easy removal of cured polyurethane foam residues from nonporous surfaces such as plastics, metals and PVCu.

- Gel based cleaner
- Virtually odorless
- Can be applied by brush or spatula
- Highly effective
- Solvent free

#### Options

- 115778 - 100ml Bottle: Clear



## Silicone Remover

### DESCRIPTION

TERPENE based, easy to use cleaning gel for the removal of cured silicone sealants. Applied by brush or spatula. Non sagging.

### APPLICATIONS

Used to remove all cured silicone sealants, especially on non-porous surfaces. Can also be used with Hybrid Polymer based sealants and adhesives.

- Terpene based
- Works on silicones and hybrid polymers
- Brush applied
- Non sagging
- Fast and effective

#### Options

- 102853 - 100ml Bottle: Clear



## 45° Nozzle Connector



### Options

103002 - 5 pack

## 175 Mm Long Nozzle



### Options

102992 - 5 pack

## Sausage Nozzle



### Options

SPU200 - 10 pack

## Sausage Nozzle



### Options

SPU153 - single pack

## Cartridge Nozzle



### Options

222593 - 100 pack

## Nozzles With Cap



### Options

108762 - 5 pack

## Static Mixer Pro



### Options

117596 - single pack

## Static Mixer



### Options

119561 - single pack

## PU Foam Adaptor Nozzles



### DESCRIPTION

Spare nozzles / straws for manually applied foams.

### Options

102998 - Nozzle Set (5 Pack)

## Twisty Nozzles



### DESCRIPTION

TWISTABLE sealant and adhesive nozzles. Re-sealable after use.

### APPLICATIONS

Used with all standard sealant, adhesive and filler cartridges. Useful for sealing, filling and bonding into hard to access areas e.g. around pipes

- Compatible with all standard cartridges
- Fully twistable, up to 90° angle
- Allows access into difficult areas
- Re-sealable

### Options

117773 - Nozzle Set (5 Pack)

## Multi Tool



### DESCRIPTION

Easy to use universal scraper to remove old sealant joints. Made out of special material to avoid damage to the surface. Used in 3 different ways: pushing, pulling and scraping.

- Very sharp
- Re-useable
- Easy to use

### Options



119352 - Sealant Scraper: Red

## Silicone Spatula Kit



### DESCRIPTION

Flexible joint smoothing tool made from a special plastic for the tooling of sealing tools. The specially developed tool edges enable the fast and easy tooling required to achieve perfectly smooth joints.

- Many different angles to give desired joint
- For a professional finish
- For smoothing and shaping joints

### Options

222601 - 7 piece smoothing tool kit

## Joint Finish



### DESCRIPTION

For the smoothing of all types of joints immediately after application of the sealant. Effective smoothing agent for a professional finish.

- Easy to use
- Makes smoothing sealants easy
- Suitable for acrylics, silicones, SMX® and hybrid sealants

### Options



119354 - 500ml Spray Bottle: Clear



106285 - 1L Spray Bottle: Clear



107502 - 5L Spray Bottle: Clear

## Cartridge Cutter



### DESCRIPTION

HIGH QUALITY cartridge cutter.

### APPLICATIONS

Used for cutting cartridges and nozzles safely and quickly.

- Cuts cartridges and nozzles
- Quick and safe

### Options

222598 - Single unit

## Soudaglatt



### DESCRIPTION

Flexible joint smoothing tool for professional finish.

- Very sharp
- Re-useable
- Easy to use

### Options

113509 - Smoothing tool: White




## Trowel

### DESCRIPTION

Professional quality notched trowel adhesive spreader. Available in two sizes: Small bead size (Nr 3) and Large beads size (Nr 11).

- German made
- High quality
- Comfortable



### Options

- 112946 - Small Nr3
- 112945 - Large Nr11

## Backer Rods

### DESCRIPTION

POLYURETHANE based open cell backer rods. Supplied in 1M lengths.

### APPLICATIONS

Used to control depth and shape of sealant joints and avoid 3 sided adhesion.

- PU based
- Grey colour
- Various diameters



### Options

110308 - 10mm	110286 - 30mm
110283 - 15mm	110287 - 40mm
110284 - 20mm	110288 - 50mm
110285 - 25mm	



## Heavy Duty Red Cases

### DESCRIPTION

Heavy duty plastic case with folding lid, can be locked with a padlock, and also stackable.



### Options

- 300034 - Stackable Red Case

## Heavy Duty Black Crates

### DESCRIPTION

Heavy duty plastic crate with handle for storing and carrying cartridges easily.



### Options

- 317197 - Black crate

Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
<b>SILICONES</b>							
24	121671	5411183106123	All Purpose Silicone	300ml	Alabaster	12	1,152
24	121660	5411183113442	All Purpose Silicone - (Colorbond Citi)	300ml	Aluminium	12	1,152
24	121663	5411183107946	All Purpose Silicone - (Colorbond Paperbark)	300ml	Beige	12	1,152
24	121995	5411183107984	All Purpose Silicone - (Colorbond Night Sky)	300ml	Black	12	1,152
24	121661	5411183106000	All Purpose Silicone - (Colorbond White Haven)	300ml	Brilliant	12	1,152
24	131649	5411183139671	All Purpose Silicone	300ml	Cement grey	12	1,152
24	121668	5411183107960	All Purpose Silicone - (Colorbond Monument)	300ml	Charcoal	12	1,152
24	121666	5411183106048	All Purpose Silicone - (Colorbond Windspray)	300ml	Dark	12	1,152
24	121665	5411183106031	All Purpose Silicone - (Colorbond Dune)	300ml	Grey	12	1,152
24	121664	5411183106024	All Purpose Silicone - (Colorbond Classic Cream)	300ml	Ivory	12	1,152
24	131648	5411183139664	All Purpose Silicone	300ml	Medium grey	12	1,152
24	144928	5411183160699	All Purpose Silicone	300ml	Misty grey	12	1,152
24	144558	5411183159846	All Purpose Silicone - (Colorbond Cottage Green)	300ml	Moss	12	1,152
24	121667	5411183107953	All Purpose Silicone - (Colorbond Woodland Grey)	300ml	Pewter	12	1,152
24	121669	5411183106055	All Purpose Silicone - (Colorbond Gully)	300ml	Stone	12	1,152
24	127786	5411183128293	All Purpose Silicone - (Colorbond Jasper)	300ml	Taupe	12	1,152
24	127785	5411183128286	All Purpose Silicone - (Colorbond Surfmist)	300ml	Titanium	12	1,152
24	121662	5411183106017	All Purpose Silicone	300ml	Translucent	12	1,152
25	154228	5411183171688	Bathroom & Kitchen Silicone	300ml	Grey	12	1,152
25	127784	5411183128279	Bathroom & Kitchen Silicone	300ml	Translucent	12	1,152
25	127783	5411183128262	Bathroom & Kitchen Silicone	300ml	White	12	1,152
25	127781	5411183128248	Glass & Glazing Silicone	300ml	Matt black	15	1,200
25	127782	5411183128255	Glass & Glazing Silicone	300ml	Translucent	15	1,200
25	127778	5411183128217	Roof & Gutter Silicone	300ml	Grey	12	1,152
25	127779	5411183128224	Roof & Gutter Silicone	300ml	Translucent	12	1,152
29	132663	5411183147096	Pureseal Roof & Gutter	300ml	Clear	20	1,120
29	132664	5411183147102	Pureseal Roof & Gutter	300ml	Grey	20	1,120
29	132665	5411183147119	Pureseal Bathroom & Kitchen Acetic Cure	300ml	White	20	1,120
29	132666	5411183147126	Pureseal Bathroom & Kitchen Acetic Cure	300ml	Clear	20	1,120
30	132667	5411183147133	Pureseal Bathroom & Kitchen Neutral Cure	300ml	Clear	20	1,120
30	132668	5411183147140	Pureseal Bathroom & Kitchen Neutral Cure	300ml	White	20	1,120
26	102543	5411183407046	Silirub AQ - Translucent 310ml	310ml	Translucent	15	1,500
26	104528	5411183008724	Silirub MA	310ml	Marble Grey	15	1,200
26	105100	5411183002951	Silirub MA	310ml	White	15	1,200
26	106252	5411183012059	Silirub MA	310ml	Black	15	1,200
26	123597	5411183110908	Silirub MA	310ml	Jasmine	15	1,200
26	128894	5411183133013	Silirub WS+	600ml	Black	12	900
26	153239	5411183168855	Silirub WS+	600ml	Silver grey	12	900
27	112346	5411183047815	Silirub Cleanroom	300ml	White	15	1,200
27	123600	5411183110892	Silirub PC	300ml	Clear	15	1,200
<b>SMX SEALANT</b>							
<b>MULTIBOND RANGE</b>							
12	152769	5411183167797	Multibond SMX25 - Flex & Seal	290ml	Black	12	1,152
12	152770	5411183167780	Multibond SMX25 - Flex & Seal	290ml	Concrete Grey	12	1,152
12	152771	5411183167773	Multibond SMX25 - Flex & Seal	290ml	White	12	1,152
12	130250	5411183134355	Multibond SMX25 - Flex & Seal	600ml	Beige	12	900
12	130254	5411183134317	Multibond SMX25 - Flex & Seal	600ml	Black	12	900
12	130252	5411183134348	Multibond SMX25 - Flex & Seal	600ml	Concrete Grey	12	900
12	130249	5411183134362	Multibond SMX25 - Flex & Seal	600ml	Dark Grey	12	900
12	130251	5411183134331	Multibond SMX25 - Flex & Seal	600ml	Off White	12	900



Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
12	137193	5411183156012	Multibond SMX25 - Flex & Seal	600ml	Redwood	12	900
12	130253	5411183134324	Multibond SMX25 - Flex & Seal	600ml	Sandstone	12	900
12	130248	5411183134379	Multibond SMX25 - Flex & Seal	600ml	White	12	900
12	124619	5411183119307	Multibond SMX35 - Seal & Stretch	600ml	Black	12	900
12	124618	5411183119314	Multibond SMX35 - Seal & Stretch	600ml	Concrete Grey	12	900
12	124598	5411183119246	Multibond SMX35 - Seal & Stretch	600ml	White	12	900
13	128736	5411183132313	Multibond SMX50 - Seal & Stick FC	290ml	Black	12	1,152
13	128737	5411183132290	Multibond SMX50 - Seal & Stick FC	290ml	Concrete Grey	12	1,152
13	128738	5411183132306	Multibond SMX50 - Seal & Stick FC	290ml	White	12	1,152
13	124606	5411183119284	Multibond SMX50 - Seal & Stick FC	600ml	Black	12	900
13	124542	5411183118751	Multibond SMX50 - Seal & Stick FC	600ml	Concrete Grey	12	900
13	124617	5411183119321	Multibond SMX50 - Seal & Stick FC	600ml	White	12	900
T-REX POWER							
8	132603	5411183146099	T-Rex Power Crystal	125ml	Crystal	10	1,560
9	132602	5411183146112	T-Rex Power Flexi	125ml	Bright White	10	1,560
10	132601	5411183146105	T-Rex Power Turbo	125ml	White	10	1,560
8	121969	5411183101760	T-Rex Power Crystal	290ml	Crystal	12	1,152
9	128463	5411183119598	T-Rex Power Fast Grab	290ml	Beach Sand	12	1,152
9	121968	5411183101753	T-Rex Power Fast Grab	290ml	Bright White	12	1,152
9	124435	5411183118416	T-Rex Power Fast Grab	290ml	Jet Black	12	1,152
9	128462	5411183119581	T-Rex Power Fast Grab	290ml	Quick Silver	12	1,152
9	121970	5411183102422	T-Rex Power Fast Grab	290ml	Steel Grey	12	1,152
9	134912	5411183153387	T-Rex Power Fast Grab	290ml	Clear	12	1,152
9	127507	5411183127760	T-Rex Power Fast Grab	600ml	Bright White	12	900
9	147559	5411183166295	T-Rex Power Fast Grab	600ml	Steel Grey	12	900
9	137369	5411183156630	T-Rex Power Flex	290ml	Bright White	12	1,152
9	137415	5411183158092	T-Rex Power Flex	290ml	Steel Grey	12	1,152
10	134899	5411183109773	T-Rex Power Floor & Wall	4kg	White	1	80
10	128371	5411183130791	T-Rex Power Turbo	290ml	White	12	1,152
10	134842	5411183129917	T-Rex Power Xtreme	290ml	Black	12	1,152
10	134841	5411183129900	T-Rex Power Xtreme	290ml	White	12	1,152
SMX SEALANT							
FIX ALL							
16	131080	5411183137356	FixAll Crystal	125ml	Crystal clear	10	1,300
17	131082	5411183137332	FixAll Flexi	125ml	White	10	1,300
18	131077	5411183137387	FixAll Turbo	125ml	White	10	1,300
16	118779	5411183088023	FixAll Crystal	290ml	Crystal clear	12	1,152
17	131481	5411183017023	FixAll Flexi	290ml	Grey	12	1,152
17	131482	5411183007192	FixAll Flexi	290ml	White	12	1,152
17	120137	5411183093379	FixAll Floor & Wall	4kg	White	1	80
18	122006	5411183102682	FixAll High Tack	290ml	Aluminium grey	12	1,152
18	122629	5411183106215	FixAll High Tack	290ml	Beige	12	1,152
18	101459	5411183031944	FixAll High Tack	290ml	Black	12	1,152
18	101454	5411183031920	FixAll High Tack	290ml	Grey	12	1,152
18	101444	5411183031890	FixAll High Tack	290ml	White	12	1,152
18	131515	5411183138209	FixAll High Tack	290ml	Clear	12	1,152
19	122236	5411183102842	FixAll Turbo	290ml	White	12	1,152
16	154560	5411183172470	FixAll Xtreme Power Xpress	280ml	White	12	1,152
SPECIALITY HYBRID POLYMER							
20	132196	5411183142008	Pool Fix Crystal	290ml	Crystal clear	6	1,152
20	112611	5411183068308	Soudaseal 260CC	600ml	White	12	900

Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
20	119245	5411183089150	Soudaseal 2K	250ml	Light grey	6	810
73	119561	5411183090071	Soudaseal Static mixing Nozzles	10 pk	N/A	10	NA
POLYURETHANE SEALANT							
22	146020	5411183161733	Soudaflex 45FC PRO	600ml	Grey	12	900
22	146018	5411183161757	Soudaflex 45FC PRO	600ml	Black	12	900
22	146019	5411183161740	Soudaflex 45FC PRO	600ml	White	12	900
22	147687	5411183166585	Soudaflex 42FX	600ml	Concrete Grey	12	900
22	146956	5411183165113	Soudaflex 42FX	600ml	White	12	900
22	146913	5411183164727	Soudaflex 42FX	600ml	Black	12	900
23	130635	5411183135635	Soudaflex 33SL Self leveling Sealant	600ml	Grey	12	900
23	130725	5411183135628	Soudaflex 36FL Floor Joint Sealant	600ml	Grey	12	900
22	126923	5411183124981	Soudaflex 20LM	600ml	Concrete Grey	12	900
22	127291	5411183127258	Soudaflex 20LM	600ml	Black	12	900
22	127290	5411183127241	Soudaflex 20LM	600ml	White	12	900
23	124909	5411183120631	Aquaswell	600ml	Champagne	12	900
SPECIALITY SEALANTS							
36	101478	5411183008946	Butyrub Mastic	300ml	Black	15	1,500
36	102572	5411183001749	Butyrub Mastic	300ml	White	15	1,500
36	135254	5411183153783	Duct Sealant	4L	Grey	4	96
36	146444	5411183163041	Soudaduct HVAC	270ml	Grey	24	1,200
37	131479	5411183027558	Firecrl FR	310ml	Grey	15	1,200
37	131478	5411183042476	Firecrl FR	600ml	Grey	12	900
37	137450	5411183157941	Soudaseal FR	290ml	Grey	12	1,200
37	155483	5411183175310	Soudaseal FR	600ml	Limestone	12	900
37	131480	5411183102330	Soudaseal FR	600ml	Grey	12	900
37	153087	5411183168749	Soudafo am FR HY	750ml	Red	12	780
37	153085	5411183168725	Soudafoam FR HY Gun (Screw Top)	750ml	Red	12	780
28	108265	5411183036024	Silirub HT-A Acetic Cure - (Up to 285°C)	310ml	Black	15	1,500
28	108266	5411183036031	Silirub HT-N Neutral Cure - (Up to 285°C)	310ml	Black	15	1,500
28	108264	5411183036017	Firecement HT - Black (Up to 1500°C)	310ml	Black	15	1,500
ADHESIVES							
STUD ADHESIVES							
49	144656	5411183160002	High Tack Stud Adhesive	5.2kg	Blue	4	96
49	144655	5411183159990	High Tack Stud Adhesive	600ml	Blue	12	900
STRONG AS NAILS							
45	144902	55411183160731	Strong As Nails - Super Grab (Grab & Go Pack)	20 x 350gr	Beige	1	50
45	144903	5411183160736	Strong As Nails - Super Grab	350gr	Beige	12	1,152
45	144904	55411183160717	Strong As Nails Fix It (Grab & Go Pack)	20 x 350gr	Beige	1	50
45	144898	5411183160712	Strong As Nails Fix It	350gr	Beige	12	1,152
WOODWORKING ADHESIVES							
50	130318	5411183134300	Waterproof PU Adhesive	750gr	Brown	6	450
50	117245	5411183082618	Water Resistant PVA Wood Glue	1L	White	6	480
50	129183	5411183133907	Water Resistant PVA Wood Glue	250ml	White	12	1,764
50	129184	5411183133891	Water Resistant PVA Wood Glue	500ml	White	12	882
50	116946	5411183080256	Water Resistant PVA Wood Glue	5L	White	4	96
SUPERGLUE ADHESIVES							
55	135624	5411183115323	2C Adhesive Kits (100 gr Cyano / 400ml Activator)	100gr & 400ml	Trans	24	768

Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
55	135623	5411183115309	2C Adhesive Kits (50 gr Cyano / 200ml Activator)	50gr & 200ml	Trans	30	1,440
55	116390	5411183077690	Cyanofix Gel Blister Superglue	3gr	Trans	12	NA
55	101125	5411183002432	Cyanofix Liquid Blister Superglue	20gr	Trans	12	NA
55	100072	5411183208421	Cyanofix Liquid Blister Superglue	3gr	Trans	12	NA
CONTACT ADHESIVES							
52	109777	5411183038653	142SP Spray Contact Adhesive	20L	Rose	NA	32
52	128677	5411183131866	145SPT Spray Contact Adhesive	20L	Trans	NA	32
50	131189	5411183138254	Contact Adhesive 110LQ	1L	Amber	12	432
50	134658	5411183152373	Contact Adhesive 110LQ	500ml	Amber	18	864
50	131190	5411183138261	Contact Adhesive 110LQ	5L	Amber	4	56
50	104808	5411183003354	Contact Adhesive Gel Blister	50ml	Amber	10	NA
50	100033	5411183001336	Contact Adhesive Liquid Blister	50ml	Amber	10	NA
51	131972	5411183140608	Contact Adhesive Transparent Blister	50ml	Trans	10	NA
51	132675	5411183152533	Spray Contact Adhesive 2in1 - (205gr)	300ml	Trans	6	780
CONTACT ADHESIVES							
53	112524	5411183048331	Purocol Express Translucent	310ml	Clear	12	1,152
41	130426	5411183134706	Soudabond Easy Adhesive Genius Gun	750ml	Pink	12	780
41	121734	5411183101173	Soudabond Easy Adhesive Gun (Screw Top)	750ml	Pink	12	780
42	137642	787930071118	Soudabond Subfloor Adhesive Gun (Screw Top)	836ml	Brown	12	780
42	153577	787930071477	Soudabond Drywall	768ml	Brown	12	648
53	100071	5411183208223	Epofix 82A Translucent	24ml	Clear	12	NA
53	134478	5411183069251	SMX Ultra Repair Adhesive	20ml	Clear	10	NA
FLOOR ADHESIVES							
13	132261	5411183143777	SMX 20 Plus	16kg	Light brown	1	33
13	132271	5411183134027	SMX 20 Plus (3x6kg Foil Bags)	18kg	Light brown	1	30
13	130243	5411183134010	SMX 20 Plus	600ml	Light brown	12	900
13	120626	5411183081109	SMX 30 Plus (2 in 1) (3x6kg Foil Bags)	18kg	Brown	1	30
13	120625	5411183095878	SMX 30 Plus (2 in 1)	600ml	Brown	12	900
TILE ADHESIVES							
43	131338	5411183138759	Soudabond MT Premixed Tile Adhesive	15kg	White	1	33
LVT ADHESIVES							
47	134895	5411183153349	LVT Premium Adhesive	13kg	Brown	1	33
MOUNTING TAPES							
55	155514	5411183175556	Fixall Mounting Tape- Translucent 19mm	1.5m	Trans	30	NA
55	155515	5411183175563	Fixall Mounting Tape - White 19mm	1.5m	White	30	NA
GAP FILLERS							
33	124731	5411183119468	Acryl White Gap Filler	80ml	White	10	NA
31	129181	5411183134096	All Weather Flex Gap Filler	300ml	White	12	1,152
31	122394	5411183105294	Fill & Paint Gap Filler	300ml	White	12	1,152
31	135230	5411183153776	Wet On Wet Express Gap Filler	300ml	White	12	1,152
33	144611	5411183159907	Contractors 101 Gap Filler	280ml	White	20	1,200
35	125587	5411183122321	Timber & Parquet Seal	290ml	Ash / Maple	6	1,152
35	125591	5411183122284	Timber & Parquet Seal	290ml	Beech	6	1,152
35	125588	5411183122314	Timber & Parquet Seal	290ml	Cherry	6	1,152
35	127174	5411183126770	Timber & Parquet Seal	290ml	Dark Grey	6	1,152
35	127175	5411183126787	Timber & Parquet Seal	290ml	Light Grey	6	1,152
35	125590	5411183122291	Timber & Parquet Seal	290ml	Light Oak	6	1,152
35	125589	5411183122307	Timber & Parquet Seal	290ml	Medium Oak	6	1,152
35	125595	5411183122352	Timber & Parquet Seal	290ml	Merbau	6	1,152
35	125592	5411183122277	Timber & Parquet Seal	290ml	Mocha	6	1,152

Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
59	132208	5411183143494	Timber & Parquet Seal	290ml	Pearl White	6	1,152
32	132673	5411183146495	Light Speed Filler	250ml	White	12	720
32	132672	5411183146501	Light Speed Filler	900ml	White	6	480
34	125786	5411183123076	Repair Express Cement	290ml	Grey	12	1,200
34	128000	5411183128965	Repair Express Cement	290ml	Beige	12	1,200
34	152305	5411183166875	Repair Express Cement	900ml	Grey	6	480
34	152307	5411183166899	Repair Express Cement	900ml	Biege	6	480
34	122525	5411183112513	Repair Express Plaster	290ml	White	12	1,152
34	152306	5411183166868	Repair Express Plaster	900ml	White	6	480
32	132561	5411183146068	Universal Bog Filler (Excludes Lid)	1.5kg	Ivory	6	336
32	132560	5411183146051	Universal Bog Filler	750gr	Ivory	12	648
32	121174	NA	Universal Bog Filler (Hardener Only)	50gr	Red	5	NA
EXPANDING FOAMS							
73	102998	5411183012493	PU Foam Adaptor Nozzles (Straw) 5 Pack	5pk	White	1	NA
38	130425	5411183135031	Genius Gun Flexible Insulation Foam	750ml	Blue	12	780
38	117472	5411183083745	Gun Grade Flexible Insulation Foam	750ml	Blue	12	780
38	132272	5411183134621	Genius Gun Gap Filling Expanding Foam	500ml	Champagne	12	780
38	130373	5411183134843	Genius Gun Gap Filling Expanding Foam	750ml	Champagne	12	780
39	130278	5411183134294	Gun Grade Gap Filling Expanding Foam	750ml	Champagne	12	780
39	153470	5411183169708	Straw Gap Filling Expanding Foam	500ml	Champagne	12	780
39	127968	5411183128378	Straw Gap Filling Expanding Foam	750ml	Champagne	12	780
39	113839	5411183057616	Soudafoam SMX	500ml	Off white	6	780
WATERPROOFING							
WATERPROOFING MEMBRANE							
56	144615	5411183159952	Soudagum LM Liquid Membrane White 22KG	22kg	White	1	30
56	126581	5411183124103	Soudagum LM Liquid Membrane White 4KG	4kg	White	4	NA
56	131632	5411183139640	Soudagum Hydro Membrane Grey 10KG	10kg	Grey	1	32
56	131634	5411183139626	Soudagum Hydro Membrane Grey 5KG	5kg	Grey	1	NA
56	134553	5411183151871	Soudagum Hydro Membrane Repair Kit Grey 1KG	1kg	Grey	6	NA
CHEMICAL ANCHOR							
67	125538	5411183121751	Soudafix CA 1400 165ml	165ml	Grey	12	1,260
67	125539	5411183121768	Soudafix CA 1400 280ml	280ml	Grey	12	900
67	117475	5411183083769	Soudafix VE400-SF 380ml	380ml	Grey	12	780
70	103265	5411183088764	Applicator for 380ml dual cartridges NA	NA	Red	1	NA
73	117596	5411180384148	Static Mixer Pro NA	NA	NA	1	NA
TECHNICAL AEROSOLS							
CLEANERS & REMOVERS							
61	119710	5411183090705	Adhesive Remover	400ml	Trans	6	600
62	119712	5411183090729	Brake Cleaner	400ml	Trans	6	600
62	119708	5411183090682	Cleaner & Degreaser	400ml	Trans	6	600
62	119711	5411183090712	Multi Cleaner Foam	400ml	White	6	600
61	119709	5411183090699	Sealant Remover	400ml	Trans	6	600
TECHNICAL AEROSOLS							
LUBRICANTS							
63	119707	5411183090675	Multi Spray - 8 in 1	400ml	Trans	6	600
63	119705	5411183090651	PTFE Spray	400ml	Trans	6	600
64	119704	5411183090644	Silicone Spray	400ml	Trans	6	600
64	119703	5411183090637	Vaseline Spray	400ml	Trans	6	600
64	119706	5411183090668	White Grease	400ml	Trans	6	600



Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
<b>TECHNICAL AEROSOLS</b>							
<b>LUBRICANTS</b>							
66	154608	5411183173224	Alu-Zinc Spray GLOSS- 98% Acrylic	400ml	Alu silver	6	600
65	119715	5411183090750	Contact Spray	400ml	Trans	6	600
65	119717	5411183090774	Cutting Oil	400ml	Trans	6	600
66	119716	5411183090767	Degrip All	400ml	Trans	6	600
66	155885	5411183175983	Zinc Spray MATT - 98% Acrylic	400ml	Grey	6	600
<b>PRIMERS: POROUS FOR WATERPROOFING &amp; SELF LEVELING COMPOUND</b>							
60	126575	5411183124073	Soudaprim DP Primer for porous	1L	Pink	8	NA
60	126574	5411153124080	Soudaprim DP Primer for porous	5L	Pink	4	NA
<b>SURFACE ACTIVATOR: NON-POROUS</b>							
59	134507	5411183151543	Activator Spray 601 Non Porous Surfaces	500ml	Clear	12	NA
59	101638	5411183032064	Surface Activator Non Porous Surfaces	500ml	Clear	6	NA
59	113596	5411183032064	Surface Activator Non Porous Surfaces	5L	Clear	1	NA
<b>SURFACE ACTIVATOR: NON-POROUS</b>							
60	123012	5411183107687	Primer 100 Porous Surfaces	500ml	Clear	6	NA
60	123011	5411183107670	Primer 150 Porous Surfaces	500ml	Clear	6	NA
<b>TAPES</b>							
57	126578	5411183124134	Soudatape IC 3D Bandage for "internal" corners	NA	White	10	NA
57	126577	5411183124141	Soudatape OC - 3D Bandage for "outside" corners	NA	White	10	NA
57	126576	5411183124158	Soudatape PD - Oversleeve Bandage for pipes	NA	White	10	NA
57	126579	5411183124127	Soudatape ST Bandage for corners	10 LM	White	10	NA
57	131003	5411183137486	Soudatight Geotextile Reinforcing Bandage	15 CM x 20 LM	White	4	NA
<b>ACCESSORIES</b>							
<b>APPLICATOR GUN</b>							
70	106617	5411183009462	Cartridge Gun Heavy Duty	NA	Black	12	480
70	111072	5411183042896	Dripless Skeleton Gun	NA	Yellow	24	480
71	222502	0706502763961	Economical Foam Gun (Screw Top)	NA	Black	5	NA
72	106310	5411183008656	Gun & Foam Cleaner (Screw Top)	NA		12	NA
70	112802	5411183049611	Heavy Duty Barrel Sausage Gun with Spare Clear Barrel	NA		10	100
71	119559	5411183094123	Heavy Duty Foam Gun 100cm long barrel (Screw Top)	NA		1	NA
71	126784	5411183124387	Pneumatic Gun - 600ml Sausages	NA		1	NA
71	126786	5411183124400	Pneumatic Gun - Cartridges	NA		1	NA
71	137930	5411183158764	Professional PU Foam Gun (Screw Top)	NA	Red	1	NA
70	118142	NIL	Spare Part - Plunger Push Disk For Sausage Gun 112802	NA		1	NA
<b>CLEANERS &amp; REMOVERS</b>							
72	115778	5411183073159	PU Foam Remover 100ml	100ml	Clear	6	NA
72	102853	5411183032422	Silicone Remover & Brush	NA	Clear	12	NA
69	127329	5411183127296	Swipex Hand Cleaner	1L	Red	6	NA
69	113551	5411183057548	Swipex Hand Wipes x 100	100 pk	White	6	240
69	128470	5411183131026	Swipex Hand Wipes x 50	50 pk	White	6	NA
<b>NOZZLES</b>							
73	103002	5411183012486	45° Connector Nozzles	5 PK	Clear	12	NA
73	102992	5411183012462	Extra Long Nozzles		Clear	12	NA
73	108762	5411183036932	Nozzle With Caps	NA		12	NA
73	117773	5411183085091	Swivelling Nozzles With Caps	NA		12	NA
73	SPU153	NA	Nozzles For 600ml Sausages - Loose	Loose	NA	1	NA
73	305953	NA	Nozzles For Cartridges	100 pk	NA	1	NA
<b>SEALANT TOOLS</b>							
74	222598	0706502764104	Cartridge Cutting Tool				NA


Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
74	106285	5411183008663	Finishing Solution - Joint Finish (Spray bottle)	1L	Clear	6	NA
74	119354	5411183089488	Finishing Solution - Joint Finish (Spray bottle)	500ml	Clear	6	NA
74	107502	5411183059443	Finishing Solution - Joint Finish (Spray bottle)	5L	Clear	1	NA
74	119352	5411183089464	Multi Tool - Sealant Scraper	NA	Red	15	NA
74	222601	0706502764128	Silicone Spatula Kit (7pc)	NA			NA
TROWEL							
75	112946	5411183049727	Adhesive Spreader No. 3 - Fine (3mm)	Fine	NA	12	NA
75	112945	5411183049710	Adhesive Spreader No.11 - Large (5mm)	Large	NA	12	NA
STORAGE							
75	317197	5411183147065	Heavy Duty Black Crates - Holds 12 Cartridges	NA	Black	1	NA
75	300034	5411183097995	Stackable Red Soudal Cases with Folding Lid	NA	Red	1	NA
BACKING RODS							
75	110308	NA	10mm Closed Cell Backer Rod	250m	Grey	1	NA
75	110283	NA	15mm Open Cell Backer Rod	250m	Grey	1	NA
75	110284	NA	20mm Open Cell Backer Rod	200m	Grey	1	NA
75	110285	NA	25mm Open Cell Backer Rod	100m	Grey	1	NA
75	110286	NA	30mm Open Cell Backer Rod	100m	Grey	1	NA
75	110287	NA	40mm Open Cell Backer Rod	50m	Grey	1	NA
75	110288	NA	50mm Open Cell Backer Rod	50m	Grey	1	NA

## APPLICATION GUIDE

APPLICATION GUIDE		CLEANERS							LUBRICATION					INDUSTRIAL					
		Swipec	PU Foam Remover	Silicone Remover	Brake Cleaner	Multi Cleaner	Cleaner & Degreaser	Adhesive Remover	Sealant Remover	Vaseline Spray	Silicone Spray	Multi Spray	PTFE Spray	White Grease	Zinc Spray (Matt)	Alu-Zinc Spray	Contact Spray	Degrip ALL	Cutting Oil
LUBRICATION	Glass - tiles									■	■	■		■					
	Hands & Tools											■							
	Paint - coatings											■	■						
	Adhesive											■					■	■	
PROTECTION	Metal - (or synthetic material)									■	■	■	■	■					
	Iron - Steel									■	■	■			■	■	■	■	■
	Rubber										■	■							
	Against dirt										■	■	■				■		
	Against oxidisation - rust									■	■	■		■	■	■	■	■	■
	Against humidity - water									■	■	■	■	■				■	
	Against weak acids - alkalis									■	■	■							
	Against heat											■	■						
For heavy loads												■	■					■	
CLEANING	Glass - tiles	■				■													
	Hands & Tools	■																	
	Paint - coatings	■						■											
	Adhesive							■											
	Electric contacts																■		
	Plastics - PVC	■				■	■		■			■							
	Carpet - fabric - textile					■													
	Metal - Aluminium	■			■	■	■	■	■			■							
	Rubber					■													
REMOVAL	Grease - Oil	■			■	■	■												
	Cured silicone - MS Polymer			■				■											
	Uncured adhesive	■					■	■											
	Cured PU Foam		■																
	Cured contact adhesive							■											

### Joint Sealant Length in LINEAR METER (consumption)

		depth (mm)												
		5	6	7	8	9	10	11	12	13	14	15		
width (mm)	5	12.00	10.00	8.57	7.50	6.67	6.00	5.45	5.00	4.62	4.29	4.00		
	6	10.00	8.33	7.14	6.25	5.56	5.00	4.55	4.17	3.85	3.57	3.33		
	7	8.57	7.14	6.12	5.36	4.76	4.29	3.90	3.57	3.30	3.06	2.86		
	8	7.50	6.25	5.36	4.69	4.17	3.75	3.41	3.13	2.88	2.68	2.50		
	9	6.67	5.56	4.76	4.17	3.70	3.33	3.03	2.78	2.56	2.38	2.22		
	10	6.00	5.00	4.29	3.75	3.33	3.00	2.73	2.50	2.31	2.14	2.00		
	11	5.45	4.55	3.90	3.41	3.03	2.73	2.48	2.27	2.10	1.95	1.82		
	12	5.00	4.17	3.57	3.13	2.78	2.50	2.27	2.08	1.92	1.79	1.67		
	13	4.62	3.85	3.30	2.88	2.56	2.31	2.10	1.92	1.78	1.65	1.54		
	14	4.29	3.57	3.06	2.68	2.38	2.14	1.95	1.79	1.65	1.53	1.43		
	15	4.00	3.33	2.86	2.50	2.22	2.00	1.82	1.67	1.54	1.43	1.33		
	20	3.00	2.50	2.14	1.88	1.67	1.50	1.36	1.25	1.15	1.07	1.00		
	25	2.40	2.00	1.71	1.50	1.33	1.20	1.09	1.00	0.92	0.86	0.80		
	30	2.00	1.67	1.43	1.25	1.11	1.00	0.91	0.83	0.77	0.71	0.67		













# 「EXPERT IN SEALANTS, FOAMS AND ADHESIVES」



## SOUDAL AUSTRALIA

75 Owen St  
Glendenning  
NSW 2761  
1300 50 70 11  
[soudalinfo@soudal.com.au](mailto:soudalinfo@soudal.com.au)  
[www.soudal.com.au](http://www.soudal.com.au)