



AUTOMOTIVE RANGE

2024



SOUDAL BUILDING THE FUTURE

Soudal, based in Belgium, is Europe's leading independent manufacturer of sealants, adhesives and construction foams.

Our research and development department in the new R&D center with more than 30 highly trained employees, constantly develops and optimizes existing products and, in cooperation with the market, develops new and even more powerful products for innovative solutions.

External testing institutes support us and constantly monitor our products. System checks and regular external monitoring ensure a consistently high level of quality consistency. Our consultants are happy to assist with professional recommendations and advice.




Family Business



Founded by
Vic Swerts
in 1966



100%
family-owned



Long term
growth strategy

Internationalisation



79

Affiliates



+4.000

Workforce



140

Countries

About our AUTOMOTIVE RANGE



For Car Body Repair work, body fillers with perfect adhesion, high strength and excellent sandability are needed. Soudal offers a suitable Polyester Body Filler of excellent quality for all possible Body Shop applications.

Metal Plastic Universal is a "one-for-all" product with outstanding performance, but specific products meet specific requirements: The names of Metal Plastic Soft and Extra Fine show their characteristics, Metal Plastic Black has been developed as a tracer, as it shows uneven surfaces when being sanded, Metal Plastic Alu has been developed for applications of thicker layers.

All Metal Plastic products bond perfectly to all car body surfaces, inclusive of galvanised steel and aluminium.



Increasingly, material connections in industrial applications are executed by chemical bonding, due to the increasing technical possibilities of industrial adhesives. Visual advantages (invisible bonding) combine with technical advantages (homogenous distribution of forces and excellent paintability with industrial paints). Soudal offers the standard range of Polyurethane Technology and pioneers the MS Polymer® flexible adhesive technology. This advanced polymer technology results in a wide range of industrial sealants and adhesives, from a sprayable MS Polymer® based Seam Sealer up to sealant/adhesives with very high end strength and the required stiffness for truly structural bonding. One of the main advantages of this technology is the fact that MS Polymer® based products are much less dependent on the correct use of primers.



A strong range of anti-corrosion products which can be applied for the sealing, protection and weather proofing of underbodies, cavities, spoilers and side panels. These coatings are available in aerosol cans and in larger packaging, which can be applied with professional coating tools.



Incoat ML

DESCRIPTION

WAX BASED cavity sealant. Highly water repellent. Fast curing. Does not drip. Forms a durable, sticky, waxy film after drying. Corrosion protection for wheel arches and empty cavities. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

For the protection against rust of cavities in cars. Protection of hollow coachwork spaces such as chassis beams, doors and door jambs, boot and bonnet, wheel arches and other rust sensitive parts.

- Wax based protective coating
- Highly water repellent
- Fast curing
- Does not drip
- Available in aerosol and gun sprayable versions

Options

- 106711 - 500ml Tin: Brown
- 106712 - 1L Tin: Brown



Incoat ML-Wax

DESCRIPTION

WAX BASED cavity sealant. Highly water repellent. Fast curing. Does not drip. Forms a durable, sticky, waxy film after drying. Corrosion protection for wheel arches and empty cavities. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

For the protection against rust of cavities in cars. Protection of hollow coachwork spaces such as chassis beams, doors and door jambs, boot and bonnet, wheel arches and other rust sensitive parts.

- Wax based protective coating
- Highly water repellent
- Fast curing
- Does not drip
- Gun sprayable

Options

- 106713 - 1L Tin: White



Underbody Protection

DESCRIPTION

BITUMEN based underbody coating. Solvent based. Absorbs heat and noise. Protects the underbody of cars, trucks and wheel openings. Resistance against rust, oil, grease, water, salt. Available in ready to use aerosol, brushable and gun sprayable versions. Sprayable gun version is applied using an airless spray machine with our pneumatic coating gun.

APPLICATIONS

For the protection of the underbodies of cars and trucks, wheel arches and openings. Forms a protective film against rust, oil, grease, water, salt

- Bitumen based protective coating
- Solvent based
- Protects against sound and heat
- Excellent resistance against rust, oil, grease, water, salt
- Available in aerosol, brushable and gun sprayable versions

Options

- 106702 - 500ml Aerosol: Black
- 106703 - 1kg Tin: Black
- 106662 - 5kg Tin: Black



Carsealer

DESCRIPTION

SYNTHETIC RUBBER based sealant for welding seams. Quick drying. Can be applied horizontally as well as vertically. No filamenting. Resists water, fuels and mineral oil. Permanently elastic. Excellent adhesion. Can be applied in beads as well as wide layers. Available in sprayable and brushable versions. The brushable version can also be applied with airless spraying equipment. The sprayable version is applied using a specialist sealing gun.

APPLICATIONS

For the sealing of car body seams, such as metal overlaps, welded and folded seams, in boot and engine space, in doors and for various seam seals in the automotive and transport industries.

- Synthetic rubber based sealant
- Resists water, fuels and mineral oil
- Permanently elastic
- Excellent adhesion
- Brushable and sprayable versions available

Options

- 101838 - 310ml Sprayable: Grey
- 102352 - 1kg Brushable: Grey



Metal Plastic Extra Fine

DESCRIPTION

EXTRA FINE, high quality, two component polyester body filler. Very fine-grained polyester body filler for the finishing of damaged surfaces and as finishing layer prior to painting. Due to its improved sandability and fine grained structure especially suited as a finishing layer.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Two-component polyester filler
- Extra fine quality suitable as a finishing layer
- Very easy to apply
- Fast curing
- Long lasting adhesion

Options

- ☐ 103424 - 1kg Tin: White
- ☐ 103425 - 2kg Tin: White



Metal Plastic Soft

DESCRIPTION

SANDABLE, high quality, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Extra soft finish to allow easier sanding of the finished product. Fast curing and can be sanded after about 20 minutes.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Two-component polyester filler
- Easier to sand due to soft finish
- Very easy to apply
- Fast curing
- Long lasting adhesion

Options

- ☐ 104314 - 1kg Tin: Beige
- ☐ 105975 - 2kg Tin: Beige



Polyfiber

DESCRIPTION

GENERAL PURPOSE, high quality, glass fibre reinforced, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes. The glass fibres add additional strength to weakened body parts.

APPLICATIONS

Heavy duty filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Two-component polyester resin
- Fibre-reinforced for heavy duty applications
- Very easy to apply
- Fast curing
- Long lasting adhesion

Options

- 103433 - 1kg Tin: Grey
- 103434 - 1.5kg Tin: Grey

Anti Gravel

DESCRIPTION

SYNTHETIC RUBBER based stonechip protection coating. Provides a tough elastic film against rust, salt, sand, stones and gravel. Can be painted or sprayed. Protection for spoilers and the lower part of the car body. Fast curing and paintable. Creates a sound absorbing protective layer. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

Protects the lower flanks of the car body against stones and corrosion. The film also largely absorbs noise and vibration. Protects below the bumpers and side panels of cars. Anti-resonance product in wheel arches and undersides of cars.

- Synthetic based protective coating
- Bitumen and asphalt free
- Protects against rust, salt, sand, stones and gravel
- Available in aerosol and gun sprayable versions



Options

- 106706 - 500ml Aerosol: Black
- 106710 - 1kg Tin: Grey
- 106709 - 500ml Aerosol: Grey
- 106707 - 1kg Tin: Black



Carbond 940 FC

DESCRIPTION

POLYURETHANE based sealant and adhesive. Permanently elastic. Watertight. Excellent resistance to many chemicals. Good colour stability, weather and UV resistance. Can be painted with most water based paints. Very good primerless adhesion on many materials such as aluminium, steel, GRP, epoxy coatings etc. Suited for bonding and sealing of aluminium and other metals and polyester.

APPLICATIONS

Elastomeric bonding and sealing in car bodies, caravans and containers. For bonding, car body parts, wheel arch extensions, etc. Replaces the traditional weld or spot weld.

- Polyurethane sealant and adhesive
- Permanently elastic after curing
- Watertight
- Can be painted with most water based paints
- Excellent adhesion on most materials

Options

- 103445 - 310ml Cartridge: Black
- 103447 - 310ml Cartridge: White
- 103446 - 310ml Cartridge: Grey



Carbond 955 DG

DESCRIPTION

POLYURETHANE based windscreen adhesive, which remains permanently waterproof. Good resistance to sagging. Very high end strength. Good colour stability, weather and UV resistance. Drive out time of approximately 3 hours. Must be used in combination with Carbond 955 Cleaner/Activator and Primer.

APPLICATIONS

Installing of windscreens in vehicles.

- Must be used in combination with Carbond 955 Cleaner/Activator and Primer
- Polyurethane based windscreen adhesive
- Very high end strength
- Good colour stability, weather and UV resistance
- Drive out time of approximately 3 hours

Options

- 105894 - 300ml Cartridge: Black

Carbond 955 DG Primer

DESCRIPTION

SPECIALIST primer to be used in conjunction with Carbond 955 DG.

APPLICATIONS

Primes surfaces prior to the use of Carbond 955 DG.

- Primes surfaces
- Used with Carbond 955 DG



Options

- 105928 - 30ml Flask

Carbond 955 DG Cleaner/ Activator

DESCRIPTION

SPECIALIST cleaner and activator to be used in conjunction with Carbond 955 DG.

APPLICATIONS

Cleans and activates surfaces prior to the use of Carbond 955 DG.

- Cleans and activates surfaces
- Used with Carbond 955 DG



Options

- 105927 - 30ml Flask: Clear



Gasket Seal

DESCRIPTION

HIGH TEMPERATURE resistant gasket sealant. Acetoxy silicone sealant. Withstands high temperatures of up to 285°C. Highly flexible and weatherproof. Replaces gaskets made from cork, felt, fibres, cardboard and rubber in all sizes and dimensions. Remains elastic after full cure. Resistant to many chemicals. High movement capability.

APPLICATIONS

For the sealing of joints which require a high temperature resistance gasket.

- Gasket sealant
- Acetoxy cure silicone sealant
- High temperature resistant (up to 285°C)
- Replaces traditional gaskets
- Highly flexible and durable

Options

- 103460 - 300ml Cartridge: Red



MS Seam Sealer

DESCRIPTION

HYBRID POLYMER based sealant for welding seams. Very good resistance against all weather conditions, water, oil and gasoline. Does not contain isocyanates nor silicones. Easy to apply with specialist applicator gun. Can be painted wet-on-wet with waterborn paints. Can be applied in beads and wide layers. Can be applied horizontally as well as vertically. Professional OEM-like finish.

APPLICATIONS

For the sealing of car body seams, such as metal overlaps, welded and folded seams, in boot and engine space, in doors and for various seam seals in the automotive and transport industries.

- Hybrid polymer based sealant
- Resists water, fuels and mineral oil
- Permanently elastic
- Excellent adhesion

Options

- 110326 - 290ml Cartridge: Grey
- 110327 - 290ml Cartridge: Beige
- 305950 - Bead Nozzle

Brake Cleaner



DESCRIPTION

Powerful, fast-drying cleaner for brake and clutch parts.

APPLICATIONS

Removes excess brake fluid, excess oil, dirt, etc. quickly. Prevents squeaking brakes and clutch slipping. Easy to apply from all angles and does not corrode metals.

- Cleans and degreases
- Does not drip
- Quick-drying
- Does not corrode metals
- Prevents squeaking sounds
- Aerosol can be used at any angle (360°)

Options



119712 - 400ml Aerosol Spray: Transparent

Multi Spray



DESCRIPTION

High grade universal spray with 8-fold action: dust remover, lubricant, cleaner, penetrating oil, anti-corrosive, damp repellent, shock and contact spray. It does not corrode plastics or metals and leaves a protective film on surfaces after use.

APPLICATIONS

Universal use product that can be used on many components such as screws, bolts, nuts, moving parts, axles, hinges, chains and garden tools.

- Universal use spray
- 8-fold action
- Can be used on metals, plastics and rubbers
- Aerosol can be used at any angle (360°)

Options



119707 - 400ml Aerosol Spray: Transparent

PTFE Spray



DESCRIPTION

High grade PTFE based lubricant. Repels water and dirt. Long life protection against friction and wear. Excellent mechanical and thermal stability. High penetration characteristics.

APPLICATIONS

Used for parts subject to high pressure and temperature loads, especially metals and plastics. Applications include pulleys, chains, gears, ball bearings, conveyer belts and other critical applications.

- PTFE based
- High pressure & temperature resistance
- Long life protection
- Lubricates and protects
- Aerosol can be used at any angle (360°)

Options



119705 - 400ml Aerosol Spray: Transparent

Silicone Spray



DESCRIPTION

Transparent lubricating and anti-adhesive spray based on high performance silicone oils. Lowers friction and prevents wear and tear on mechanical components. Prevents dirt and grease build up. Very high temperature resistance.

APPLICATIONS

Used on plastics and rubbers to lubricate and protect. Typical applications include sliding doors and rubber seals, lubricating gutter and pipe seals.

- Silicone based
- Transparent
- Lubricates and protects
- Very high temperature resistance
- Aerosol can be used at any angle (360°)

Options

- 119704 - 400ml Aerosol Spray: Transparent

Vaseline Spray



DESCRIPTION

Transparent lubricating and protection spray. Dilutes acids and alkalis, and prevents general wear and tear. High temperature resistance.

APPLICATIONS

Used on metals and plastics to protect against water and weather conditions. Typical applications include door and window hinges, nuts, screws, garden tools and rolling shutters.

- Silicone based
- Transparent
- Lubricates and protects
- Very high temperature resistance
- Aerosol can be used at any angle (360°)

Options

- 119703 - 400ml Aerosol Spray: Transparent

White Grease



DESCRIPTION

Lithium soap and PTFE based penetrating lubricant and grease. Waterproof. Double action effect; applies like oil, then sets like grease. Anti-corrosive properties.

APPLICATIONS

Suitable for heavy duty lubrication of mechanical parts such as ball bearings, axles, sprockets, conveyer belts and rubber seals.

- Lithium and PTFE based
- Double action oil and grease
- Anti-corrosive
- Heavy duty applications

Options

- 119706 - 400ml Aerosol Spray: Transparent

Contact Spray



DESCRIPTION

Universal spray for the cleaning and maintenance of electric contact areas. Dissolves corrosion and oxidation. Reduces humidity. Non corrosive. Suitable for interior and exterior applications.

APPLICATIONS

Suitable for electric contact points such as switches, batteries and light switches. Cleans and deoxidizes surfaces and improves the power transmission at electric contacts. Stops moisture penetration. Also suitable for dehumidifying of electric wirework and tools.

- Universal use
- Reduces humidity and corrosion
- Interior and exterior use
- Aerosol can be used at any angle (360°)

Options

- 119715 - 400ml Aerosol Spray: Transparent

Cutting Oil



DESCRIPTION

A high quality oil which prevents overheating of metals when cutting and drilling. Excellent anti-mist characteristics. Silicone free.

APPLICATIONS

Reduces resistance in cutting tools. Suitable for drilling, milling, cutting, sawing, filing, tapping, turning, planing and punching of steel and most ferrous and non-ferrous metals. Reduces friction and wear. Excellent cooling characteristics.

- Non corrosive, does not contain silicones
- Can be used with most metals
- Anti-misting properties
- Aerosol can be used at any angle (360°)

Options

- 119717 - 400ml Aerosol Spray: Transparent

Degrip All



DESCRIPTION

A high quality penetrating oil which dissolves rust and corrosion. Superior penetrating characteristics. Protects against rust and corrosion.

APPLICATIONS

Highly efficient in releasing corroded and rusted metal parts such as nuts, bolts and machine parts. Due to the very low surface tension it penetrates into very small openings to release stuck parts. Can be used with machinery, nuts, bolts, flanges, etc.

- Penetrating action
- Dissolves and protects against rust
- For interior and exterior applications
- Aerosol can be used at any angle (360°)

Options

- 119716 - 400ml Aerosol Spray: Transparent

Zinc Spray (Matt)



DESCRIPTION

High-grade zinc spray with sprayable zinc compound (98% zinc). Has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective. Matt finish.

APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Good resistance against mechanical shocks, rubbing and erosion
- Matt finish
- Suitable over spot welding
- Good electrical conductor

Options

155885 - 400ml Aerosol Spray: Grey

Zinc Spray (Shiny)



DESCRIPTION

High-grade sprayable alu-zinc compound. Alu-Zinc spray has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective.

APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Shiny finishing coat
- Good resistance against mechanical shocks, rubbing and erosion
- Very economic, effective and reliable
- Suitable over spot welding

Options

154608 - 400ml Aerosol Spray: Silver





Cartridge Gun Heavy Duty

DESCRIPTION

Heavy duty steel skeleton gun featuring the Soudal dripless system. Even pressure distribution for perfect application. Suitable for all cartridge applied adhesives, fillers and sealants. Ideal for thicker high viscosity adhesives and sealants due to a ratio of 18:1.

Options

106617 - 310ml Manual Cartridge Gun - Black

Silicone Spatula Kit



DESCRIPTION

Flexible joint smoothing tool made from a special plastic for the tooling of sealing tools. The specially developed tool edges enable the fast and easy tooling required to achieve perfectly smooth joints.

- Many different angles to give desired joint
- For a professional finish
- For smoothing and shaping joints

Options

168709 - 7 piece smoothing tool kit

Cartridge Cutter



DESCRIPTION

HIGH QUALITY cartridge cutter.

APPLICATIONS

Used for cutting cartridges and nozzles safely and quickly.

- Cuts cartridges and nozzles
- Quick and safe

Options

168708 - Single unit



Swipex Wipes

DESCRIPTION

Swipex is a cleaning wipe ideal for removing all fresh sealants, adhesives and foam from surfaces, hands and tools. It also removes grease and oil. The formula contains skin conditioning agents to avoid excessive skin dehydration. Safe to use. Dissolves fresh und cured adhesives and sealants (silicone, hybrid, PU, acrylic, etc) as well as PU-foam, all paints, including automotive, etc. Cleaning of dirty working tables and surfaces.

Options

113551 - Tub: 100 Wipes

128470 - Flow Pack: 50 Wipes



Swipex Hand Cleaner

DESCRIPTION

HEAVY DUTY cleaner to remove all kinds of dirt from your hands. Granular texture helps to scrub dirt away. Suitable for removing adhesives, silicone and PU foam. Contains Sericin with moisturiser that protects skin and hands.

Options

127329 - 1L Bottle: Red

Cartridge Nozzle



Options

305953- single pack

Nozzles With Cap



Options

108762 - 5 pack

Automotive Range • Table of Content

Page No.	Item Code	Barcode	Product Name	Size	Colour	Units/Box	Units/Pallet
4	106711	5411183009158	Incoat ML Aerosol 500ML	500ml	Brown	12	NA
4	106712	5411183011281	Incoat ML Protection Gun applied 1L	1L	Brown	12	NA
4	106713	5411183011311	Incoat Pure Wax Gun applied 1L	1L	White	12	NA
5	102352	5411183011403	Car Sealer (Brushable) 1KG	1 kg	Grey	6	NA
5	101838	5411183011397	Car Sealer Gun (Sprayable) 310ML	310 ml	Grey	12	NA
5	106702	5411183009127	Underbody Protection Aerosol 500ML	500ml	Black	12	NA
5	106662	5411183011236	Underbody Protection Brush on 5KG	5kg	Black	4	NA
5	106703	5411183011212	Underbody Protection Gun 1KG	1kg	Black	12	NA
6	103425	5411183009332	Metal Plastic Extra Fine 2KG	2kg	White	6	NA
6	103424	5411183009349	Metal Plastic Extra Fine 1KG	1kg	White	12	NA
6	104314	5411183011007	Metal Plastic Soft 1KG	1kg	White	12	NA
6	105975	5411183009363	Metal Plastic Soft 2KG	2kg	White	6	NA
7	103434	5411183011090	Polyfiber 1.5KG	1.5kg	Light grey	6	NA
7	103433	5411183011083	Polyfiber 1KG	1kg	Light grey	12	NA
7	106706	5411183009141	Antigravel Aerosol Black 500ML	500ml	Black	12	NA
7	106709	5411183009134	Antigravel Aerosol Grey 500ML	500ml	Grey	12	NA
7	106707	5411183011250	Antigravel Black Gun applied 1KG	1kg	Black	12	NA
7	106710	5411183011267	Antigravel Grey Gun applied 1KG	1kg	Grey	12	NA
8	103445	5411183009059	Carbond 940FC	310ml	Black	12	NA
8	103446	5411183011380	Carbond 940FC	310ml	Grey	12	NA
8	103447	5411183009042	Carbond 940FC	310ml	White	12	NA
8	105894	5411183006812	Carbond 955 DG Windscreen Adhesive	310ml	Black	6	1,152
8	105927	5411183006799	30mL Carbond 955D Cleaner/Activator	30ml	Clear	6	NA
8	105928	5411183006805	30mL Carbond 955 Primer	30ml		6	NA
9	305950	NA	MS Seam Sealer - Bead Nozzle (Old Code SPU180)	NA	NA	1	NA
9	110327	5411183040274	MS Seam Sealer Beige 290ML	290ml	Beige	12	NA
9	110326	5411183040267	MS Seam Sealer Grey 290ML	290ml	Grey	12	NA
9	103460	5411183001831	Gasketseal - Red (Up to 285°C)	310ml	Red	12	1,152
10	119712	5411183090729	Brake Cleaner	400ml	Trans	6	600
10	119707	5411183090675	Multi Spray - 8 in 1	400ml	Trans	6	600
10	119705	5411183090651	PTFE Spray	400ml	Trans	6	600
11	119704	5411183090644	Silicone Spray	400ml	Trans	6	600
11	119703	5411183090637	Vaseline Spray	400ml	Trans	6	600
11	119706	5411183090668	White Grease	400ml	Trans	6	600
12	154608	5411183173224	Alu-Zinc Spray GLOSS- 98% Acrylic	400ml	Alu silver	6	600
12	119715	5411183090750	Contact Spray	400ml	Trans	6	600
12	119717	5411183090774	Cutting Oil	400ml	Trans	6	600
13	119716	5411183090767	Degrip All	400ml	Trans	6	600
13	155885	5411183175983	Zinc Spray MATT - 98% Acrylic	400ml	Grey	6	600
14	168709	0706502764128	Silicone Spatula Kit (7pc)	NA			NA
14	168708	0706502764104	Cartridge Cutting Tool				NA
14	108762	5411183036932	Nozzle With Caps	NA		12	NA
14	305953	NA	Nozzles For Cartridges	100 pk	NA	1	NA
14	127329	5411183127296	Swipex Hand Cleaner	1L	Red	6	NA
14	113551	5411183057548	Swipex Hand Wipes x 100	100 pk	White	6	240
14	106617	5411183009462	Cartridge Gun Heavy Duty	NA	Black	12	480



SOUDAL PTY LTD

75 Owens Street
Glendenning, NSW, 2761
AUSTRALIA

Tel: 1300 50 70 11
E: soudalinfo@soudal.com.au
www.soudal.com.au



www.facebook.com/soudalaustralia
www.instagram.com/soudal_australia/
www.linkedin.com/company/soudal-australia/