



Page 1 of 1

27 June 2024

# **GUN & FOAM CLEANER**

#### **Technical Data**

| Basis                              | Acetone  |
|------------------------------------|--|
| Consistency                        | Aerosol  |
| Application temperature (Canister) | $5  ^{\circ}\text{C} \rightarrow 30  ^{\circ}\text{C}$ |

## **Product description**

Gun and Foam Cleaner is a ready to use cleaning aerosol can to clean expanding foam guns and remove uncured Soudal PU expanding foams.

Gun and Foam Cleaner is filled with HCFC- and CFCfree propellants which are not harmful for the ozone layer.

## **Properties**

- Removes not cured foam.
- Cleans tools such as foam gun.
- Good degreasing and cleaning properties

# **Packaging**

Colour: colourless

Packaging: 500 ml aerosol (net)

#### Shelf life

At least 24 months in original, unopened packaging in a cool and dry storage place with temperature between +5°C and +25°C.

## **Application method**

Refer to the current Technical Data Sheet on our website prior to use.

Immediately remove spilled foam with a foam cleaner, cured foam must be removed mechanically.

Prior to using the cleaner, test whether surfaces are affected or not. Especially plastics and lacquer or paint layers can be sensitive to this.

Clean the gun internally by screwing the can onto the gun and pulling the trigger several times, keep an interval period of 10 - 15 seconds after each time.

Clean the gun externally by using the adapter.

# **Health- and Safety Recommendations**

Take the usual labour hygiene into account. Always wear gloves and goggles. Remove cured foam mechanically. Never burn away.

Consult label and safety data sheet (SDS) for more information. When vaporizing (for example with a compressor), additional security measures will be required. Use only in well-ventilated areas.

## Liability

The content of this technical data sheet is the result of tests, monitoring and experience. It is general in nature and does not constitute any liability. It is the responsibility of the user to determine by his own tests whether the product is suitable for the application.

Remark: This technical data sheet replaces all previous versions. The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. Since the design, the quality of the substrate and processing conditions are beyond our control, no liability under this publication is accepted. In every case, it is recommended to carry out preliminary experiments. Soudal reserves the right to modify products without prior notice.

