

# IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org



## CERTIFICATE OF CONFORMITY

*IAPMO Oceania hereby grants to:*

### Soudal Australia

A.B.N.: 50 159 124 053

75 Owen St, Glendenning, NSW 2761 Australia

Email: paul.francia@soudal.com.au

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceania's WaterMark Governance Rules.

*Evaluated to:*

**WMTS-014:2016**

Jointing materials

*Manufacturer:*

Refer to Licence Holder

**Licence No.:** WM-023300

**First Certified:** 19 May 2017

**Certification Date:** 13 Nov 2024

**Expiry Date:** 18 May 2028

David Viola  
Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO Oceania. This certificate can only be reproduced in its entirety. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



# WATERMARK CERTIFICATE OF CONFORMITY

## SCHEDULE OF CERTIFIED PRODUCT



*Certificate Holder*  
**Soudal Australia**

A.B.N.:50 159 124 053  
75 Owen St, Glendenning, NSW 2761 Australia

*Manufacturer*  
**Refer to Licence Holder**

*Standard*  
**WMTS-014:2016**  
Jointing materials

**Licence No. WM-023300**

**Certification Date: 13 Nov 2024**

**Expiry Date: 18 May 2028**

**First Certified: 19 May 2017**

Brand Name	Model Name	Model ID	Product Type	Product Description
SOUDAL	All Purpose Silicone	121660	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Alu Grey
SOUDAL	All Purpose Silicone	121661	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Brilliant White
SOUDAL	All Purpose Silicone	121662	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Clear
SOUDAL	All Purpose Silicone	121663	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Beige
SOUDAL	All Purpose Silicone	121664	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Ivory
SOUDAL	All Purpose Silicone	121665	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Grey
SOUDAL	All Purpose Silicone	121666	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Dark
SOUDAL	All Purpose Silicone	121667	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Pewter
SOUDAL	All Purpose Silicone	121668	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Charcoal
SOUDAL	All Purpose Silicone	121669	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Stone
SOUDAL	All Purpose Silicone	121671	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Molds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Alabaster
SOUDAL	T-Rex Power Fast Grab	121968	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - Bright White 290ml
SOUDAL	T-Rex Power Crystal	121969	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - 290ml Cartridge-Transparent
SOUDAL	T-Rex Power Fast Grab	121970	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable for Use with Materials in Contact with Drinking Water – Steel Grey
SOUDAL	All Purpose Silicone	121995	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Moulds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Black

Brand Name	Model Name	Model ID	Product Type	Product Description
SOUDAL	Fix ALL High Tack	122626	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) Very High Initial Tack High Performance Flexible Bonding and Sealing Applications of all Types of Materials on to Most Surfaces Both Porous and Non-Porous Suitable for Use with Materials in Contact with Drinking Water - Grey
SOUDAL	T-Rex Power Fast Grab	124435	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - Jet Black 290ml
SOUDAL	Multibond SMX35 – Flex & Seal	124598	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage White
SOUDAL	Multibond SMX35 – Flex & Seal	124604	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290ml White
SOUDAL	Multibond SMX35	124605	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) Excellent UV Resistance Elasticity and can be Sanded and Painted with most Types of Paint Once Cured Forms a Strong Flexible Waterproof Seal and Bonds to the Widest Range of Substrates Suitable for Use with Materials in Contact with Drinking Water - Concrete Grey 290mL cartridge
SOUDAL	Multibond SMX35 – Flex & Seal	124605	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290ml Concrete Grey
SOUDAL	Multibond SMX35	124618	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) Excellent UV Resistance Elasticity and can be Sanded and Painted with most Types of Paint Once Cured Forms a Strong Flexible Waterproof Seal and Bonds to the Widest Range of Substrates Suitable for Use with Materials in Contact with Drinking Water - Concrete Grey 600mL cartridge
SOUDAL	Multibond SMX35 – Flex & Seal	124618	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Concrete Grey
SOUDAL	Multibond SMX35 – Flex & Seal	124619	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Black
SOUDAL	Multibond SMX35 – Flex & Seal	124620	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290ml Black
SOUDAL	Multibond SMX35 – Flex & Seal	124787	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Sandstone
SOUDAL	Multibond SMX35 – Flex & Seal	124788	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Off White
SOUDAL	Multibond SMX35 – Flex & Seal	124789	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Beige
SOUDAL	Multibond SMX35 – Flex & Seal	124790	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Dark Grey
SOUDAL	T-Rex Power Fast Grab	127507	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - Bright White 600ml
SOUDAL	Roof and Gutter Silicone	127778	Sealant	Joint Sealant (Silicone Moisture Curing) Suitable for a Wide Range of Applications Including Sealing for Roofing Guttering Flashings Cladding Down Pipes Ducting Lap Joints Sheet Metal etc Suitable for Use with Materials in Contact with Drinking Water - Grey
SOUDAL	Roof and Gutter Silicone	127779	Sealant	Joint Sealant (Silicone Moisture Curing) Suitable for a Wide Range of Applications Including - Sealing for Roofing Guttering Flashings Cladding Down Pipes Ducting Lap Joints Sheet Metal etc Suitable for Use with Materials in Contact with Drinking Water - Translucent
SOUDAL	All Purpose Silicone	127785	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Moulds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Titania
SOUDAL	All Purpose Silicone	127786	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Moulds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Taupe
SOUDAL	T-Rex Power Fast Grab	128462	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - Quick Silver 290ml
SOUDAL	T-Rex Power Fast Grab	128463	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - Sand Beige 290ml
SOUDAL	Multibond SMX25 – Flex & Seal	130248	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage White
SOUDAL	Multibond SMX25 – Flex & Seal	130249	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Dark Grey
SOUDAL	Multibond SMX25 – Flex & Seal	130250	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Beige

Brand Name	Model Name	Model ID	Product Type	Product Description
SOUDAL	Multibond SMX25 – Flex & Seal	130251	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Off White
SOUDAL	Multibond SMX25 – Flex & Seal	130252	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Concrete Grey
SOUDAL	Multibond SMX25 – Flex & Seal	130253	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Sandstone
SOUDAL	Multibond SMX25 – Flex & Seal	130254	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Black
SOUDAL	Soudagum Hydro	131632	Sealant	Waterproofing Sealant (SMX® Polymer Moisture Curing) Waterproofing Product for Horizontal and Vertical Surfaces Suitable For Use with Materials in Contact with Drinking Water - 10kg Bucket - Grey
SOUDAL	Soudagum Hydro	131634	Sealant	Waterproofing Sealant (SMX® Polymer Moisture Curing) Waterproofing Product for Horizontal and Vertical Surfaces Suitable For Use with Materials in Contact with Drinking Water - 5kg Bucket - Grey
SOUDAL	All Purpose Silicone	131648	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Moulds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Medium Grey
SOUDAL	All Purpose Silicone	131649	Sealant	Joint Sealant (Silicone Moisture Curing) for all Sealing Waterproofing and Bonding Applications where Protection Against Moulds and Mildew is Required. For Sealing Applications Suitable for Use with Materials in Contact with Drinking Water - Cement Grey
SOUDAL	T-Rex Power Crystal	132603	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Performance Product Engineered for a Wide Range of Sealing and Bonding Applications Suitable For Use with Materials in Contact with Drinking Water - 125ml Cartridge-Transparent
SOUDAL	Pureseal Roof & Gutter Silicone Clear	132663	Sealant	Joint Sealant Ultra-Premium (Silicone Moisture Curing) for Use in Sealing and Repairing of Substrates in Roofs and Gutters Suitable for Use with Materials in Contact with Drinking Water-Clear
SOUDAL	Pureseal Roof & Gutter Silicone Grey	132664	Sealant	Joint Sealant Ultra-Premium (Silicone Moisture Curing) for Use in Sealing and Repairing of Substrates in Roofs and Gutters Suitable for Use with Materials in Contact with Drinking Water - Grey
SOUDAL	Specialized Glazing Silicone	134018	Sealant	Joint Sealant Premium (Silicone Moisture Curing) for Use in High Demand Glazing and Weathersealing Applications Suitable for Use with Materials in Contact with Drinking Water - Matt Black
SOUDAL	Specialized Glazing Silicone	134019	Sealant	Joint Sealant Premium (Silicone Moisture Curing) for Use in High Demand Glazing and Weathersealing Applications Suitable for Use with Materials in Contact with Drinking Water - Translucent
SOUDAL	Specialized Glazing Silicone	134020	Sealant	Joint Sealant Premium (Silicone Moisture Curing) for Use in High Demand Glazing and Weathersealing Applications Suitable for Use with Materials in Contact with Drinking Water - Light Grey
SOUDAL	Ultra Repair Adhesive	134478	Sealant	Joint Sealant and Adhesive (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Adhesive and Sealant Suitable For Use with Materials in Contact with Drinking Water - 20ml Tube Transparent
SOUDAL	Soudagum Hydro	134553	Sealant	Waterproofing Sealant (SMX® Polymer Moisture Curing) Waterproofing Product for Horizontal and Vertical Surfaces Suitable For Use with Materials in Contact with Drinking Water - 1kg Kit - Grey
SOUDAL	Multibond SMX25 – Flex & Seal	137193	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 600ml Sausage Redwood
SOUDAL	Multibond SMX25 – Flex & Seal	152769	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290mL Black
SOUDAL	Multibond SMX25 – Flex & Seal	152770	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290mL Concrete Grey
SOUDAL	Multibond SMX25 – Flex & Seal	152771	Sealant	Joint Sealant (SMX® Polymer Moisture Curing) High Quality Neutral Elastic Joint Sealant Suitable For Use with Materials in Contact with Drinking Water - 290mL white

END RECORD

END RECORD



David Viola  
Chief Executive Officer of the IAPMO Group